Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Reserve
aLB3479
.U53S32

23 - a

HNIS (Adm.) 374

THE SCHOOL LUNCH PROGRAM AND DIETS OF STUDENTS IN ALASKA



Human Nutrition Information Service
U.S. Department of Agriculture
Hyattsville, Maryland 20782
January 1985

AD-33 Bookplate
(1-63)

NATIONAL AGRICULTURAL LIBRARY

Contents

Page

.... ii
.... 1
.... 6
terns for Various Age/Grade Groups.... 8
nch Guide to the Amounts of Food Groups for Boys
cified Ages.... 9
.... 10

Guide to Tables

	Table No.	Page
Mean nutritive value of lunch by:		
Household income as percent of USDA poverty level	1A	12
Lunch pay status of NSLP participants	1B	18
Mean nutritive value of lunch related to RDA (1980)	2	20
Percent of lunches that provide one-third or more of student's RDA (1980)	3	23
Mean nutrient density of lunch	4	26
Mean nutritive value of day's intake by:		
Household income as percent of USDA poverty level	5A	32
Lunch pay status of NSLP participants	5B	38
Mean nutritive value of day's intake related to RDA (1980)	6	40
Percent of day's intakes that provide 100 percent or more of student's RDA (1980)	7	43
Nutritional contribution of lunch to day's intake:		
Household income as percent of USDA poverty level	8A	46
Lunch pay status of NSLP participants	8B	49

The School Lunch Program and Diets of Students in Alaska[1]

Dietary intakes from 24-hour recalls and 2-day diaries have been analyzed for students in four sex-age groups (males and females 6 to 8 and 9 to 11 years of age, males 12 to 18 years of age, and females 12 to 18 years of age) to study the nutritional contribution of school lunches to diets of participants. Data are from the Nationwide Food Consumption Survey 1977-78 in Alaska.

In this report, 208 schoolday intakes by students who reported purchasing or receiving a complete plate lunch at school on the given day (participants) are compared with 870 schoolday intakes by students who reported not purchasing or receiving a complete plate lunch at school on the given day[2] (nonparticipants). Up to three intakes may have been reported by a single student[2]. Comparisons are made for the (1) nutritional quality of the lunch, (2) nutritional quality of the day's intake, and (3) contribution of the lunch to the day's intake. Nutritional quality was appraised by relating the intake of food energy and 12 nutrients to the 1980 Recommended Dietary Allowances (RDA).

In tabulations presented, students' intakes are classified by (1) school lunch participation or nonparticipation on the day of intake, (2) sex and age of the student, (3) income of the student's household related to the USDA Poverty Levels, and (4) whether the complete plate lunch was full-price (PAY) or free or reduced-price.

Summary of results

Findings on the nutritive value of students' daily and lunchtime intakes on school days show that--

- Average daily nutrient intakes by all four groups of participants and nonparticipants met the RDA for protein, riboflavin, vitamin B_{12}, and ascorbic acid. Average daily nutrient intakes by all four groups of participants also met the RDA for phosphorus, vitamin A, and thiamin (Table 6).

- Of the four sex-age participant groups, females 12 to 18 years had the lowest average daily intakes related to the RDA for all nutrients studied except for thiamin, vitamin B_{12}, and ascorbic acid. Of the four sex-age nonparticipant groups, females 12 to 18 years had the lowest average daily intakes related to the RDA for all nutrients studied; and also had considerably lower average daily intakes of

---

[1]Paper prepared by Andrea J. Blum and Richard L. Kerr, Human Nutrition Information Service, U.S. Department of Agriculture, Hyattsville, MD 20782. Tabulations prepared by Jeffrey S. Bass at the University of North Carolina, Chapel Hill, NC 27514.

[2]Students were classified as participants if they obtained a complete plate lunch at school on the day surveyed. They may or may not have eaten the entire meal that was served. A student could, for example, be a participant one day, a nonparticipant the second day, and not included in the sample on the third day.

these nutrients when compared to the daily intakes of the participant females 12 to 18 years except for niacin and vitamin B_6 (Table 6).

- Daily intakes were most often below recommendations for food energy, calcium, iron, magnesium, and vitamin B_6 (Table 7). Lunches of participants, on the average, contributed 24 to 44 percent of the RDA for these nutrients (Table 2). Lunchtime intakes of nonparticipants, on the average, contributed only 16 to 25 percent of the RDA for these nutrients (Table 2).

- For 10 of the 12 nutrients studied (protein, calcium, iron, magnesium, phosphorus, vitamin A, thiamin, riboflavin, vitamin B_6, and vitamin B_{12}), the nutrient intake per 1,000 kilocalories (nutrient density) at lunchtime for participants was higher than for nonparticipants (Table 4).

- On the average, participant lunches contributed 26 to 46 percent of the day's intake for food energy and the 12 nutrients studied. Lunches of nonparticipants, on the average, contributed 19 to 30 percent of the day's intake (Table 8A).

- Compared to students of the same age who paid full-price for a lunch, students 6 to 11 years who had a free or reduced-price lunch consumed a greater percentage of their day's food energy and all nutrients studied at lunch. Compared to students of the same age who paid full-price for a lunch, students 12 to 18 years who had a free or reduced-price lunch consumed a lower percentage of their day's food energy and all nutrients studied at lunch (Table 8B).

Lunchtime intakes

Participants consumed more of the meat, poultry, fish, eggs, legumes; milk, milk products; grain products; and vegetables food groups on the average at lunchtime than did nonparticipants. Nonparticipants consumed more fruit; fats and oils; and soft drinks, punches, ades food groups.

Average quantity (grams) of food at lunchtime

Food group	Participants	Nonparticipants
Meat, poultry, fish, eggs, legumes	91	49
Milk, milk products	259	137
Grain products	78	65
Fruit	52	61
Vegetables	67	20
Fats and oils	3	4
Soft drinks, punches, ades	10	71

Nutrient intakes of participants at lunchtime were higher for food energy and all nutrients studied except ascorbic acid than intakes of nonparticipants (Table 1A). Lunches of participants provided from 9 percent more (preformed niacin) to 139 percent more (vitamin A) than the lunchtime intakes of nonparticipants. Nonparticipants reported lunchtime intakes which were 25 percent higher in ascorbic acid than participants.

About 33 percent of the school lunches in the survey were free or reduced-price. Compared to students of the same age paying full-price, students 6 to 11 years who received a free or reduced-price lunch averaged about the same or slightly higher lunchtime nutrient intakes except for calcium, vitamin B_6, and ascorbic acid. Compared to students of the same age paying full-price, students 12 to 18 years who received a free or reduced-price lunch averaged lower lunchtime nutrient intakes except for protein, iron, magnesium, and niacin (Table 1B).

The current requirement of the NSLP is to serve the amounts and levels of foods specified in the NSLP meal patterns (Chart 1). The meal pattern requirement of the NSLP include various items within these meal pattern components: meat or meat alternate; vegetable and/or fruit; bread or bread alternates; and milk. "The requirements are designed to provide a nutritious and well-balanced Type A lunch daily to each child of school age which, averaged over a period of time, will approximate one-third of the child's Recommended Dietary Allowances" (Federal Register, National School Lunch Program Regulations, USDA, FNS, 7 CFR Part 210, Section 210.10(a)(1), May 4, 1976). The NSLP meal pattern requirements during 1977-78 were based on the Type A lunch for the 10 to 12 year old student which provided the framework for nutritionally adequate school lunches (Chart 2). Lesser and greater amounts of the food components of the meal pattern were recommended for 6 to 10 and 12 to 18 year old students, respectively. The age groups used in this report were not in effect in the NSLP until 1980, but were used so that the data analyses would be current and could be applied to the NSLP which is now in effect. Allowances for the three age groups used in this study for students 6 to 18 years were derived by interpolation because the NSLP age/grade groups are different than the 1980 RDA sex-age categories. Two methods of adjusting the RDA to the NSLP age groups were used and are described in detail in the glossary. The RDA adjusted for the NSLP age categories are shown in Appendix Table I. The RDA adjusted for the specific age of the student are shown in Appendix Table II.

Lunchtime intakes of participants averaged one-third or more of the RDA for seven nutrients--protein, calcium, phosphorus, vitamin A, thiamin, riboflavin, and vitamin B_{12} (Table 2). Participant lunches averaged between 24 and 33 percent of the RDA for food energy, iron, magnesium, niacin, vitamin B_6, and ascorbic acid. Lunchtime intakes of nonparticipants averaged as high as one-third of the RDA for only two nutrients--protein and ascorbic acid.

Among participants, females 12 to 18 years had the lowest average lunchtime intakes related to the RDA for food energy, protein, calcium, iron, magnesium, phosphorus, and vitamin B_6 (Table 2). Students 6 to 8 years of age had the lowest average lunchtime intakes related to the RDA for thiamin; students 9 to 11 years had the lowest average lunchtime intakes related to the RDA for riboflavin, niacin, and vitamin B_{12}; and males 12 to 18 years had the lowest average lunchtime intakes related to the RDA for vitamin A and ascorbic acid. For nonparticipants, females 12 to 18 years had the lowest average lunchtime intakes related to the RDA for food energy and all nutrients studied.

Lunches of participants provided one-third or more of the RDA more often than lunchtime intakes of nonparticipants for each nutrient studied (Table 3). The percent of participant lunches providing one-third or more of the RDA ranged from 18 percent for vitamin B_6 to 93 percent for protein. For nonparticipants, the range was from 9 percent for vitamin B_6 to 64 percent for protein. The percent of lunchtime intakes with one-third or more of the RDA for all nutrients

is no greater than the bottom of the range--18 percent for participants and 9 percent for nonparticipants (Table 3).

Among participants, females 12 to 18 years most often consumed lunches which provided one-third of the RDA for food energy. However, they least often met the goal for 6 of the 12 nutrients--protein, iron, phosphorus, riboflavin, vitamin B_6, and vitamin B_{12}. Males 12 to 18 years least often met the goal for food energy, calcium, magnesium, vitamin A, thiamin, niacin, and ascorbic acid. Among nonparticipants, students 6 to 8 years most often consumed lunches which provided one-third of the RDA for food energy protein, iron, magnesium, phosphorus, vitamin A, thiamin, niacin, and ascorbic acid. Students 9 to 11 years least often met the goal for food energy; and females 12 to 18 years least often met the goal for 11 nutrients--all nutrients except niacin, which was least often met by students 9 to 11 years (Table 3).

For 10 of the 12 nutrients studied (protein, calcium, iron, magnesium, phosphorus, vitamin A, thiamin, riboflavin, vitamin B_6, and vitamin B_{12}), the nutrient intake per 1,000 kilocalories (nutrient density) at lunchtime for participants was higher than for nonparticipants (Table 4). Lunchtime nutrient densities of participants ranged from 1 percent more for magnesium to 96 percent more for vitamin A than nutrient densities of nonparticipants. The nutrients for which densities in participant lunches were lower than for nonparticipants were niacin (11 percent below) and ascorbic acid (36 percent below). Nutrient densities of food at lunchtime were much higher for calcium, vitamin A, riboflavin, and vitamin B_{12} for participants than nonparticipants. These nutrients are provided in significant amounts by meat products, milk products, certain vegetables, and other foods. Participants consumed 22 percent more food energy at lunch than nonparticipants but consumed almost twice as much meat and milk products and more than triple the amount of vegetables.

Day's intakes

Average daily intakes of food energy and all nutrients studied except niacin, vitamin B_{12}, and ascorbic acid were higher for participants than intakes for nonparticipants (Table 5A). Except for these nutrients, average daily intakes of participants provided from 1 percent more (food energy, magnesium, and thiamin) to 12 percent more (calcium) than the average daily intakes of nonparticipants. Nonparticipants reported average daily intakes of 5 percent more (niacin), 2 percent more (vitamin B_{12}), and 4 percent more (ascorbic acid) than participants.

Compared to students of the same age who received a free or reduced-price lunch, students 6 to 11 years who paid full-price had the same or higher daily nutrient intakes for food energy and all of the 12 nutrients studied (Table 5B). Compared to students of the same age who received a free or reduced-price lunch, students 12 to 18 years who paid full-price had lower daily nutrient intakes for food energy and 7 nutrients--protein, iron, magnesium, phosphorus, niacin, vitamin B_6, and vitamin B_{12}. They had higher nutrient intakes for calcium, vitamin A, thiamin, riboflavin, and ascorbic acid.

Average daily intakes of participants provided the RDA for all nutrients studied except food energy, iron, magnesium, and vitamin B_6 (Table 6). Average nutrient intakes of nonparticipants were below the RDA for these nutrients and calcium. Among participants, average daily intakes of females 12 to 18 years were lower relative to the RDA than the intakes of other sex-age groups for food

energy and all nutrients studied except thiamin, vitamin B_{12}, and ascorbic acid. For these nutrients, students 6 to 8 years had the lowest daily intakes for thiamin and ascorbic acid, and students 9 to 11 years had the lowest daily intake for vitamin B_{12}. Among nonparticipants, average daily intakes of females 12 to 18 years were lower relative to the RDA than the intakes of other sex-age groups for food energy and all nutrients studied.

A greater percentage of participant intakes met the RDA for food energy and each of the 12 nutrients studied than did nonparticipant intakes except for magnesium, thiamin, and ascorbic acid (Table 7). The percent of participant intakes providing the RDA ranged from 26 percent for food energy to 94 percent for protein. The percent of nonparticipant intakes providing the RDA ranged from 21 percent for food energy to 86 percent for protein.

Among participants, females 12 to 18 years met their RDA for food energy and all nutrients studied less often than other sex-age groups with the exception of ascorbic acid, which was met least often by students 6 to 8 years (Table 7). Among nonparticipants, students 6 to 8 years met their RDA for food energy less often than other sex-age groups, and females 12 to 18 years met their RDA for all 12 nutrients studied less often than other sex-age groups.

Lunchtime contribution to daily intakes

The average contribution of lunchtime intakes to the total day's intake was much higher for participants than for nonparticipants (Table 8A). Lunchtime intakes contributed 26 to 46 percent of the day's intake of food energy and 12 nutrients for participants and 19 to 30 percent for nonparticipants. Compared to nonparticipants of the same sex-age group, the nutritional contribution of the lunch to the day's intake for participants was greater for all nutrients studied except for niacin and ascorbic acid. Niacin was slightly higher for nonparticipant males 12 to 18 years of age, and ascorbic acid was higher for nonparticipant students 9 to 11 years of age and nonparticipant males 12 to 18 years of age.

Nutrients for which students' daily intakes were most often below the RDA were food energy, calcium, iron, magnesium, and vitamin B_6 (Table 7). Lunches of participants contributed 24 to 44 percent of the RDA for these nutrients. Lunchtime intakes for nonparticipants averaged only 16 to 25 percent of the RDA for these nutrients (Table 2).

Compared to students of the same age who paid full-price for a lunch, students 6 to 11 years who had a free or reduced-price lunch consumed a greater percentage of their day's food energy and all nutrients at lunch except ascorbic acid (Table 8B). Compared to students of the same age who paid full-price for a lunch, students 12 to 18 years who had a free or reduced-price lunch consumed a lower percentage of their day's food energy and all nutrients at lunch except calcium, magnesium, and vitamin B_{12} (Table 8B).

Data interpretation

When comparing nutrient intakes of participants and nonparticipants, caution must be exercised in interpreting causes for differences. Factors other then lunch participation status, such as economic level of the student's household and actual food selection and variety, may affect intakes. Another factor is the offer versus serve provision (June 3, 1976) which mandates that students

"in senior high schools which participate in the school lunch program shall not be required to accept foods which they do not intend to consume." All high school students are to be offered the complete school lunch, but are given the opportunity to not accept one or two items they do not intend to eat. The lunch as served, may therefore be lower in nutrients than the complete meal offered.

Glossary

Free and reduced-price lunches

Children from households with income less than 125 percent of USDA poverty level were eligible for free National School Lunch Program (NSLP) lunches. Children from households with income between 125 and 195 percent of USDA poverty level were eligible for reduced-price lunches. Eligibility of the student for free or reduced-price lunches was reported by the survey household respondent.

Income as percent of poverty level

Income before taxes received by household members, except roomers, boarders, and employees, during the calendar year before the interview divided by the USDA Secretary's Poverty Level Guidelines (Child Nutrition) for the appropriate household size for the year ending June 30, 1978, was used to calculate the household income as a percent of the poverty level.

NSLP participant day

An NSLP participant day is a school day on which the student reported obtaining a lunch described as a "complete plate meal at school." This survey included 208 participant days.

NSLP nonparticipant day

An NSLP nonparticipant day is a school day on which the student reported not obtaining a lunch described as a "complete plate meal at school." This may be a day on which the student (1) attended school but did not have a lunch described as a "complete plate meal at school," (2) reported no lunch, or (3) did not attend school. This survey included 870 nonparticipant days.

Nationwide Food Consumption Survey 1977-78

Information was obtained from a special sample of 1,130 households and 2,360 individuals in Alaska, surveyed during January 1978 through March 1978.

Nutritive value of food intake

Nutritive values of food intakes of individuals were calculated from food composition data which were compiled by the Human Nutrition Information Service's Nutrient Data Research Branch. This nutrient data base was constructed from partially updated composition values of foods from Agriculture Handbook No. 8. Nutritive values for new or unusual foods were obtained from manufacturers' data, were based on similar foods, were calculated from the ingredients, or were based on a composite of these values. Average intakes were calculated for food energy, protein, fat, carbohydrate, four minerals (calcium, iron, magnesium, and phosphorus), and seven vitamins (vitamin A value, thiamin, riboflavin, preformed

niacin, vitamin B_6, vitamin B_{12}, and ascorbic acid). The nutritional contribution of participant and nonparticipant lunches were evaluated for all of these nutrients except fat and carbohydrate which have no established RDA. Nutritive values for magnesium and vitamins B_6 and B_{12} are limited in many foods; consequently, these nutritive values should be interpreted with restraint since they are less reliable than other nutritive values used in this evaluation.

RDA (1980) adjusted for NSLP

The NSLP meal pattern requirements as defined by 1977-78 regulations were based on the Type A lunch for the 10 to 12 year old student with lesser or greater amounts of food components for the 6 to 10 and 12 to 18 year old students. The age groups used in this report were not in effect in the NSLP until 1980, but were used so that the data analyses would be current and could be applied toward the NSLP which is now in effect. The 1980 NSLP patterns were developed for five age/grade groups. Three NSLP groups, which included males and females 6 to 18 years of age were used in this evaluation. Students' intakes were evaluated using the 1980 Recommended Dietary Allowances (RDA) specified by the National Academy of Sciences-National Research Council (NAS-NRC). The 1980 RDAs for the NSLP age/grade groups were adjusted by interpolation for the three groups because the NSLP age/grade groups are different than the 1980 RDA sex-age categories. See Appendix Table I.

Students' RDA (1980)

Recommended Dietary Allowances, 1980, for males and females 6 to 18 years of age were adjusted by year-to-year interpolation based on the RDA for the appropriate sex-age group. See Appendix Table II. The RDA for niacin is in total niacin equivalents, including preformed niacin and niacin formed in the body from dietary tryptophan. Since intakes were calculated for preformed niacin only, niacin levels as a percentage of the RDA presented in this report are underestimated.

Chart 1.

SCHOOL LUNCH PATTERNS FOR VARIOUS AGE/GRADE GROUPS

U.S. Department of Agriculture, National School Lunch Program

USDA recommends, but does not require, that you adjust portions by age/grade group to better meet the food and nutritional needs of children according to their ages. If you adjust portions, Groups I-IV are minimum requirements for the age/grade groups specified. If you do not adjust portions, the Group IV portions are the portions to serve all children.

COMPONENTS		MINIMUM QUANTITIES				RECOMMENDED QUANTITIES[1]	SPECIFIC REQUIREMENTS
		Preschool		Grades K-3	Grades 4-12[1]	Grades 7-12	
		ages 1-2 (Group I)	ages 3-4 (Group II)	ages 5-8 (Group III)	age 9 & over (Group IV)	age 12 & over (Group V)	
MEAT OR MEAT ALTERNATE	A serving of one of the following or a combination to give an equivalent quantity:						• Must be served in the main dish or the main dish and one other menu item • Vegetable protein products, cheese alternate products, and enriched macaroni with fortified protein may be used to meet part of the meat/meat alternate requirement. Fact sheets on each of these alternate foods give detailed instructions for use.
	Lean meat, poultry, or fish (edible portion as served)	1 oz	1½ oz	1½ oz	2 oz	3 oz	
	Cheese	1 oz	1½ oz	1½ oz	2 oz	3 oz	
	Large egg(s)	½	¾	¾	1	1½	
	Cooked dry beans or peas	¼ cup	⅜ cup	⅜ cup	½ cup	¾ cup	
	Peanut butter	2 Tbsp	3 Tbsp	3 Tbsp	4 Tbsp	6 Tbsp	
VEGETABLE AND/OR FRUIT	Two or more servings of vegetable or fruit or both to total	½ cup	½ cup	½ cup	¾ cup	¾ cup	• No more than one-half of the total requirement may be met with full-strength fruit or vegetable juice • Cooked dry beans or peas may be used as a meat alternate or as a vegetable but not as both in the same meal.
BREAD OR BREAD ALTERNATE	Servings of bread or bread alternate A serving is • 1 slice of whole-grain or enriched bread • A whole-grain or enriched biscuit, roll, muffin, etc. • ½ cup of cooked whole-grain or enriched rice, macaroni, noodles, whole-grain or enriched pasta products, or other cereal grains such as bulgur or corn grits • A combination of any of the above	5 per week	8 per week	8 per week	8 per week	10 per week	• At least ½ serving of bread or an equivalent quantity of bread alternate for Group I, and 1 serving for Groups II-V, must be served daily • Enriched macaroni with fortified protein may be used as a meat alternate or as a bread alternate but not as both in the same meal NOTE: *Food Buying Guide for Child Nutrition Programs*, PA-1331 (1983) provides the information for the minimum weight of a serving.
MILK	A serving of fluid milk	¾ cup (6 fl oz)	¾ cup (6 fl oz)	½ pint (8 fl oz)	½ pint (8 fl oz)	½ pint (8 fl oz)	At least one of the following forms of milk must be offered • Unflavored lowfat milk • Unflavored skim milk • Unflavored buttermilk NOTE: This requirement does not prohibit offering other milks, such as whole milk or flavored milk, along with one or more of the above.

[1]Group IV is highlighted because it is the one meal pattern which will satisfy all requirements if no portion size adjustments are made.

[2]Group V specifies recommended, not required, quantities for students 12 years and older. These students may request smaller portions, but not smaller than those specified in Group IV.

December 1983

Chart 2.

THE TYPE A SCHOOL LUNCH
GUIDE TO THE AMOUNTS OF FOOD FOR BOYS AND GIRLS OF SPECIFIED AGES

Pattern	Pre-school children (3 up to 6 years)	Elementary school children		Secondary schools boys and girls (12 up to 18 years)[1]
		6 up to 10 years	10 up to 12 years	
Meat and/or alternate: One of the following or combinations to give equivalent quantities:			(Type A lunch)	
Meat, poultry, fish	1 1/2 ounces	2 ounces	2 ounces	3 ounces
Cheese	1 1/2 ounces	2 ounces	2 ounces	3 ounces
Eggs[2]	1	1	1	1
Cooked dry beans and peas	1/4 cup	1/3 cup	1/2 cup	3/4 to 1 1/4 cup
Peanut butter	2 tablespoons	3 tablespoons	4 tablespoons	4 to 5 tablespoons
Vegetable and/or fruit[3]	1/2 cup	3/4 cup	3/4 cup	1 to 1 1/2 cup
Bread[4]	1/2 slice	1 slice	1 slice	1 to 3 slices
Milk	3/4 cup[5]	1/2 pint	1/2 pint	1/2 pint

[1]When a range in amounts is given, the smaller amounts are suggested for girls and the larger amounts for older boys. An amount midway between the amounts shown is suggested for younger boys.

[2]When egg is served as the main dish in the lunch, use in addition a half portion of meat or other meat alternate for all children except those 3 up to 6 years.

[3]Must include at least two kinds.

[4]Or a serving of cornbread, biscuits, rolls, muffins, etc., made of whole-grain or enriched meal or flour.

[5]If this is impractical, serve 1/2 pint.

REMEMBER: The amounts of foods for all age groups, except 10 up to 12 years, are intended as guides and their literal use is not mandatory.

Appendix

Table I.--Recommended Dietary Allowances (1980)[1], adjusted for evaluation of the National School Lunch Program

Nutrient/unit	Recommended Dietary Allowances for children		
	6-8 years	9-11 years[2]	12-18 years[3]
Food energy.....(kcal)...	2,100	2,400	2,450
Protein.....(g).....	32	38	48
Calcium.....(mg).....	800	950	1,200
Phosphorus.....(mg).....	800	950	1,200
Iron.....(mg).....	10	13	18
Vitamin A value.....(IU).....	3,050	3,850	4,500
Thiamin.....(mg).....	1.1	1.2	1.2
Riboflavin.....(mg).....	1.2	1.4	1.4
Niacin (NE)[4].....(mg).....	14	16	16
Ascorbic acid.....(mg).....	45	47	55
Magnesium.....(mg).....	230	280	340
Vitamin B_6.....(mg).....	1.5	1.7	1.9
Vitamin B_{12}.....(mcg)....	2.8	3.0	3.0

[1]National Academy of Sciences - National Research Council, 1980. Recommended Dietary Allowances. 9th ed.

[2]Allowances are for the midpoint of the age group, interpolated from the RDA for a child 7-10 years and the average RDA for the male and female 11-14 years.

[3]Allowances are for the midpoint of the age group, interpolated from the average RDA for the male and female 11-14 years and the average RDA for the male and female 15-18 years.

[4]Includes preformed niacin and niacin from dietary tryptophan.

Table II.--Recommended Dietary Allowances (1980)[1], adapted for dietary surveys[2] (ages ungrouped)

Age	Food energy	Protein	Vitamin A	Ascorbic acid	Thiamin	Riboflavin	Niacin	Vitamin B_6	Vitamin B_{12}	Calcium	Phosphorus	Magnesium	Iron
	kcal	g	IU	mg	mg	mg	mg(NE[3])	mg	mcg	mg	mg	mg	mg
Years:													
6.....	1,900	31	2,786	45	1.0	1.1	12	1.4	2.6	800	800	214	10
7.....	2,100	32	3,071	45	1.1	1.2	14	1.5	2.8	800	800	229	10
8.....	2,300	33	3,357	45	1.2	1.3	15	1.6	2.9	800	800	243	10
Males:													
9.....	2,438	35	3,688	46	1.2	1.4	16	1.6	3.0	850	850	263	11
10.....	2,513	38	4,063	47	1.3	1.5	17	1.7	3.0	950	950	288	13
11.....	2,588	41	4,438	48	1.3	1.5	17	1.7	3.0	1,050	1,050	313	15
12.....	2,663	44	4,813	49	1.4	1.6	18	1.8	3.0	1,150	1,150	338	17
13.....	2,713	46	5,000	51	1.4	1.6	18	1.8	3.0	1,200	1,200	356	18
14.....	2,738	49	5,000	54	1.4	1.6	18	1.9	3.0	1,200	1,200	369	18
15.....	2,763	52	5,000	56	1.4	1.7	18	1.9	3.0	1,200	1,200	381	18
16.....	2,788	55	5,000	59	1.4	1.7	18	2.0	3.0	1,200	1,200	394	18
17.....	2,813	56	5,000	60	1.4	1.7	18	2.0	3.0	1,150	1,150	394	17
18.....	2,838	56	5,000	60	1.4	1.7	18	2.1	3.0	1,050	1,050	381	15
Females:													
9.....	2,375	36	3,563	46	1.2	1.4	16	1.6	3.0	850	850	256	11
10.....	2,325	39	3,688	47	1.2	1.4	16	1.7	3.0	950	950	269	13
11.....	2,275	42	3,813	48	1.1	1.3	15	1.7	3.0	1,050	1,050	281	15
12.....	2,225	45	3,938	49	1.1	1.3	15	1.8	3.0	1,150	1,150	294	17
13.....	2,188	46	4,000	51	1.1	1.3	15	1.8	3.0	1,200	1,200	300	18
14.....	2,163	46	4,000	54	1.1	1.3	15	1.9	3.0	1,200	1,200	300	18
15.....	2,138	46	4,000	56	1.1	1.3	14	1.9	3.0	1,200	1,200	300	18
16.....	2,113	46	4,000	59	1.1	1.3	14	2.0	3.0	1,200	1,200	300	18
17.....	2,100	46	4,000	60	1.1	1.3	14	2.0	3.0	1,150	1,150	300	18
18.....	2,100	45	4,000	60	1.1	1.3	14	2.0	3.0	1,050	1,050	300	18

[1] National Academy of Sciences - National Research Council, 1980. Recommended Dietary Allowances. 9th ed.
[2] Allowances are year-to-year interpolations based on the RDA for the appropriate sex-age groups.
[3] Includes preformed niacin and niacin from dietary tryptophan.

Table 1A.-- NUTRITIVE VALUE OF LUNCH: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PROTEIN (4)	FAT (5)	CARBOHYDRATE (6)	CALCIUM (7)	IRON (8)	MAGNESIUM (9)
		CAL	G	G	G	MG	MG	MG
ALL DAYS:	1078	579	20.4	25.8	68.6	289	3.1	73
MALE AND FEMALE 6-8 YEARS:	295	563	19.9	24.3	68.9	284	3.1	72
ALL LEVELS	259	570	20.2	24.8	69.2	284	3.1	73
0-100	32	553	21.4	23.2	65.9	284	3.1	65
101-125	17	486	16.7	20.4	61.1	191	2.8	64
126-195	60	544	19.6	23.7	64.9	283	2.9	69
196 AND OVER	151	594	20.5	26.0	72.5	294	3.2	76
INCOME NOT REPORTED	37	513	17.5	20.8	66.9	290	2.7	69
MALE AND FEMALE 9-11 YEARS	251	588	20.6	25.3	72.3	316	3.1	75
ALL LEVELS	224	584	20.6	25.3	71.2	314	3.1	75
0-100	12	361	16.1	14.5	42.6	204	2.3	43
101-125	20	773	24.7	34.8	93.0	335	4.1	79
126-195	31	650	21.4	26.2	84.8	313	3.2	74
196 AND OVER	162	564	20.2	24.8	68.0	319	3.0	78
INCOME NOT REPORTED	27	627	20.5	25.4	81.6	336	3.2	76
MALE 12-18 YEARS:	272	695	24.0	32.8	78.7	319	3.6	84
ALL LEVELS	214	694	23.3	32.3	80.3	310	3.5	85
0-100	23	819	30.7	39.8	89.0	339	4.5	141
101-125	11	812	21.7	32.6	110.5	341	3.8	62
126-195	20	725	25.5	33.2	83.9	400	3.9	88
196 AND OVER	160	664	22.1	31.1	76.5	292	3.3	78
INCOME NOT REPORTED	58	699	26.5	34.3	73.1	354	3.9	81
FEMALE 12-18 YEARS:	259	466	17.0	20.9	54.1	238	2.6	59
ALL LEVELS	197	449	15.9	19.9	53.3	225	2.4	55
0-100	18	523	18.0	23.5	61.9	301	3.0	74
101-125	2	693	15.6	29.7	93.2	156	2.9	33
126-195	35	472	15.3	20.4	57.8	213	2.6	51
196 AND OVER	142	431	15.8	19.1	50.5	220	2.3	54
INCOME NOT REPORTED	63	519	20.6	24.1	56.8	280	3.2	69

Table 1A.-- NUTRITIVE VALUE OF LUNCH: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PROTEIN (4)	FAT (5)	CARBOHYDRATE (6)	CALCIUM (7)	IRON (8)	MAGNESIUM (9)
		CAL	G	G	G	MG	MG	MG
NSLP PARTICIPANT DAYS:	208	677	27.9	30.5	75.1	428	3.8	86
MALE AND FEMALE 6-8 YEARS:	70	645	27.1	28.4	72.5	416	3.7	80
ALL LEVELS	61	648	27.2	28.6	72.9	411	3.8	79
0-100	12	606	29.6	29.2	57.0	420	3.7	86
101-125	1	655	26.5	29.7	75.6	397	4.0	88
126-195	12	627	27.0	28.3	67.8	388	3.5	80
196 AND OVER	36	669	26.5	28.4	79.7	417	3.9	76
INCOME NOT REPORTED	8	625	26.4	27.3	69.4	454	3.3	83
MALE AND FEMALE 9-11 YEARS	54	717	29.2	32.2	80.1	458	3.8	87
ALL LEVELS	45	704	28.5	31.4	79.6	444	3.7	86
0-100	5	567	25.4	25.1	61.4	402	3.4	75
101-125	7	742	26.4	37.0	78.9	444	3.7	98
126-195	7	651	24.9	29.0	73.6	397	3.7	79
196 AND OVER	26	732	30.6	31.5	84.6	464	3.8	86
INCOME NOT REPORTED	9	785	33.0	36.8	82.8	530	3.9	96
MALE 12-18 YEARS:	39	730	28.3	33.9	80.6	445	4.0	98
ALL LEVELS	31	744	29.3	34.1	83.0	438	4.3	104
0-100	11	664	31.2	31.9	65.9	345	4.7	115
101-125	1	645	21.7	24.4	86.1	170	4.4	62
126-195	5	790	29.3	33.8	94.9	527	5.2	109
196 AND OVER	15	792	28.3	36.2	91.1	489	3.7	96
INCOME NOT REPORTED	8	672	24.4	33.4	70.8	471	2.7	76
FEMALE 12-18 YEARS:	46	636	27.0	29.0	68.8	399	3.9	82
ALL LEVELS	33	575	23.6	25.4	64.9	373	3.6	74
0-100	10	541	24.8	23.9	57.9	403	3.7	86
101-125	0	*	*	*	*	*	*	*
126-195	6	555	22.0	22.9	65.3	215	4.0	58
196 AND OVER	17	603	23.3	27.2	69.0	408	3.4	73
INCOME NOT REPORTED	13	785	35.5	37.7	78.5	463	4.8	101

Table 1A.-- NUTRITIVE VALUE OF LUNCH: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	FAT (5)	CARBO-HYDRATE (6)	CAL-CIUM (7)	IRON (8)	MAG-NESIUM (9)
		CAL	G	G	G	MG	MG	MG
NSLP NONPARTICIPANT DAYS:	870	555	18.6	24.7	67.1	256	2.9	70
MALE AND FEMALE 6-8 YEARS:	225	538	17.6	23.0	67.8	244	2.9	70
ALL LEVELS	197	546	18.0	23.6	68.0	244	2.9	71
0-100	20	523	16.7	19.8	71.0	206	2.8	53
101-125	15	469	15.8	19.5	59.7	171	2.6	62
126-195	47	522	17.7	22.5	64.2	256	2.7	67
196 AND OVER	114	570	18.6	25.3	70.2	255	3.0	76
INCOME NOT REPORTED	28	479	14.8	18.8	66.1	241	2.5	65
MALE AND FEMALE 9-11 YEARS	198	553	18.2	23.5	70.2	278	2.9	72
ALL LEVELS	179	553	18.6	23.8	69.1	281	2.9	73
0-100	7	223	9.8	7.3	30.0	71	1.6	21
101-125	12	792	23.6	33.5	101.5	269	4.4	67
126-195	24	650	20.5	25.4	87.9	290	3.1	72
196 AND OVER	136	531	18.2	23.5	64.8	292	2.8	76
INCOME NOT REPORTED	19	552	14.5	20.0	81.0	244	2.9	67
MALE 12-18 YEARS:	234	690	23.3	32.6	78.4	298	3.5	82
ALL LEVELS	183	686	22.3	32.0	79.8	288	3.4	82
0-100	13	948	30.3	46.4	108.2	334	4.4	163
101-125	10	824	21.7	33.1	112.3	353	3.7	62
126-195	15	703	24.2	33.0	80.3	358	3.5	82
196 AND OVER	145	651	21.4	30.6	75.0	272	3.2	76
INCOME NOT REPORTED	51	703	26.9	34.5	73.4	337	4.1	82
FEMALE 12-18 YEARS:	213	429	14.9	19.1	50.9	203	2.3	54
ALL LEVELS	164	424	14.4	18.7	50.9	195	2.2	51
0-100	7	500	8.6	22.9	67.4	162	2.0	58
101-125	2	693	15.6	29.7	93.2	156	2.9	33
126-195	30	456	14.0	19.9	56.4	213	2.3	50
196 AND OVER	125	407	14.8	18.0	48.0	194	2.2	52
INCOME NOT REPORTED	49	447	16.5	20.4	50.9	230	2.8	61

Table 1A.--NUTRITIVE VALUE OF LUNCH: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
		MG	IU	MG	MG	MG	MG	MCG	MG
ALL DAYS:	1078	358	1050	0.37	0.50	4.7	0.31	1.02	19
MALE AND FEMALE 6-8 YEARS:	295	346	1117	0.35	0.49	4.6	0.30	1.00	20
ALL LEVELS	259	347	1067	0.36	0.49	4.7	0.30	1.02	19
0-100	32	359	539	0.33	0.54	4.6	0.30	1.20	14
101-125	17	263	496	0.29	0.37	4.7	0.23	0.77	19
126-195	60	347	1054	0.36	0.48	4.6	0.33	1.05	17
196 AND OVER	151	354	1247	0.37	0.50	4.8	0.30	1.00	21
INCOME NOT REPORTED	37	335	1473	0.32	0.46	3.8	0.28	0.85	27
MALE AND FEMALE 9-11 YEARS	251	369	1292	0.37	0.53	4.6	0.32	1.03	23
ALL LEVELS	224	368	1243	0.37	0.52	4.6	0.32	1.03	22
0-100	12	249	1156	0.28	0.42	3.0	0.21	0.84	11
101-125	20	419	1781	0.49	0.61	5.0	0.36	1.58	26
126-195	31	385	1520	0.41	0.54	5.3	0.32	1.00	24
196 AND OVER	162	367	1131	0.35	0.51	4.5	0.32	0.99	22
INCOME NOT REPORTED	27	377	1693	0.37	0.56	4.1	0.31	1.02	23
MALE 12-18 YEARS:	272	418	874	0.44	0.58	5.8	0.34	1.15	18
ALL LEVELS	214	409	760	0.44	0.57	5.8	0.33	1.09	17
0-100	23	529	855	0.40	0.59	9.4	0.45	1.39	16
101-125	11	429	864	0.51	0.50	4.1	0.28	0.99	30
126-195	20	500	1502	0.68	0.79	5.6	0.33	1.26	18
196 AND OVER	160	379	645	0.41	0.54	5.4	0.32	1.04	16
INCOME NOT REPORTED	58	452	1291	0.46	0.62	5.7	0.39	1.36	21
FEMALE 12-18 YEARS:	259	299	926	0.30	0.42	3.9	0.26	0.91	16
ALL LEVELS	197	279	760	0.27	0.38	3.5	0.23	0.81	15
0-100	18	382	617	0.24	0.48	3.1	0.27	1.08	12
101-125	2	234	444	0.40	0.29	3.3	0.15	0.36	13
126-195	35	270	344	0.27	0.40	3.6	0.23	0.83	16
196 AND OVER	142	268	887	0.27	0.37	3.6	0.23	0.78	16
INCOME NOT REPORTED	63	361	1444	0.42	0.53	4.8	0.36	1.19	16

Table 1A.--NUTRITIVE VALUE OF LUNCH: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
		MG	IU	MG	MG	MG	MG	MCG	MG
NSLP PARTICIPANT DAYS:	208	497	1979	0.47	0.76	5.0	0.41	1.62	16
MALE AND FEMALE 6-8 YEARS:	70	464	1991	0.40	0.70	4.6	0.40	1.54	16
ALL LEVELS	61	467	1958	0.40	0.70	4.8	0.40	1.55	15
0-100	12	504	834	0.38	0.71	5.4	0.42	1.72	8
101-125	1	514	1572	0.42	0.71	5.0	0.42	1.62	16
126-195	12	447	2021	0.41	0.69	5.4	0.45	1.45	21
196 AND OVER	36	460	2311	0.41	0.71	4.3	0.37	1.52	16
INCOME NOT REPORTED	8	444	2228	0.38	0.69	3.6	0.41	1.51	17
MALE AND FEMALE 9-11 YEARS	54	513	2267	0.46	0.78	5.2	0.41	1.52	17
ALL LEVELS	45	503	2296	0.47	0.77	5.2	0.40	1.49	17
0-100	5	429	2505	0.51	0.70	4.4	0.31	1.23	10
101-125	7	507	2368	0.46	0.70	4.8	0.41	1.55	21
126-195	7	453	3458	0.65	0.83	5.0	0.34	1.30	25
196 AND OVER	26	527	1941	0.41	0.79	5.4	0.44	1.56	15
INCOME NOT REPORTED	9	567	2115	0.42	0.83	5.2	0.46	1.72	14
MALE 12-18 YEARS:	39	545	1674	0.55	0.83	5.3	0.43	1.77	13
ALL LEVELS	31	551	1601	0.49	0.78	5.8	0.46	1.77	14
0-100	11	545	1362	0.31	0.59	7.2	0.44	1.86	9
101-125	1	268	371	0.49	0.63	6.6	0.27	0.89	9
126-195	5	608	2182	0.57	0.85	5.0	0.48	2.06	11
196 AND OVER	15	549	1636	0.59	0.91	5.0	0.47	1.64	20
INCOME NOT REPORTED	8	523	1969	0.82	1.01	3.3	0.34	1.77	6
FEMALE 12-18 YEARS:	46	485	1882	0.50	0.78	5.2	0.42	1.71	17
ALL LEVELS	33	436	1951	0.38	0.67	4.5	0.34	1.45	18
0-100	10	487	655	0.31	0.64	4.2	0.34	1.62	12
101-125	0	*	*	*	*	*	*	*	*
126-195	6	308	395	0.37	0.54	5.8	0.37	1.26	39
196 AND OVER	17	448	3269	0.43	0.73	4.3	0.34	1.40	14
INCOME NOT REPORTED	13	605	1714	0.80	1.06	6.7	0.59	2.36	16

Table 1A.--NUTRITIVE VALUE OF LUNCH: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
		MG	IU	MG	MG	MG	MG	MCG	MG
NSLP NONPARTICIPANT DAYS:	870	325	828	0.34	0.44	4.6	0.28	0.88	20
MALE AND FEMALE 6-8 YEARS:	225	309	846	0.34	0.42	4.6	0.27	0.83	21
ALL LEVELS	197	310	789	0.34	0.42	4.7	0.27	0.86	20
0-100	20	277	371	0.31	0.44	4.2	0.23	0.91	18
101-125	15	239	391	0.27	0.34	4.6	0.21	0.69	19
126-195	47	322	806	0.34	0.43	4.4	0.30	0.95	16
196 AND OVER	114	320	910	0.36	0.43	4.9	0.28	0.84	23
INCOME NOT REPORTED	28	303	1246	0.31	0.39	3.9	0.25	0.65	29
MALE AND FEMALE 9-11 YEARS	198	330	1028	0.34	0.46	4.4	0.29	0.90	24
ALL LEVELS	179	335	980	0.34	0.46	4.5	0.30	0.92	24
0-100	7	128	247	0.12	0.22	2.1	0.14	0.57	12
101-125	12	366	1425	0.50	0.56	5.1	0.34	1.60	29
126-195	24	367	990	0.34	0.46	5.3	0.32	0.92	24
196 AND OVER	136	337	975	0.34	0.46	4.4	0.30	0.88	24
INCOME NOT REPORTED	19	288	1493	0.35	0.44	3.6	0.24	0.69	27
MALE 12-18 YEARS:	234	397	742	0.43	0.54	5.8	0.33	1.05	19
ALL LEVELS	183	385	619	0.43	0.53	5.8	0.31	0.98	17
0-100	13	515	434	0.47	0.59	11.3	0.47	1.00	22
101-125	10	440	899	0.51	0.49	3.9	0.28	1.00	31
126-195	15	464	1277	0.72	0.77	5.9	0.28	0.99	20
196 AND OVER	145	362	546	0.39	0.51	5.4	0.30	0.98	16
INCOME NOT REPORTED	51	442	1188	0.41	0.56	6.1	0.40	1.30	23
FEMALE 12-18 YEARS:	213	258	718	0.26	0.34	3.6	0.23	0.73	15
ALL LEVELS	164	247	521	0.24	0.33	3.4	0.21	0.69	15
0-100	7	237	565	0.14	0.26	1.7	0.16	0.33	12
101-125	2	234	444	0.40	0.29	3.3	0.15	0.36	13
126-195	30	263	334	0.26	0.37	3.1	0.20	0.74	12
196 AND OVER	125	244	565	0.24	0.32	3.5	0.21	0.70	16
INCOME NOT REPORTED	49	295	1371	0.31	0.38	4.3	0.30	0.88	16

Table 1B.-- NUTRITIVE VALUE OF LUNCH: MEAN

AGE OF STUDENT AND LUNCH PAY STATUS OF NSLP PARTICIPANTS (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	FAT (5)	CARBO-HYDRATE (6)	CAL-CIUM (7)	IRON (8)	MAG-NESIUM (9)
		CAL	G	G	G	MG	MG	MG
NSLP PARTICIPANT DAYS:	208	677	27.9	30.5	75.1	428	3.8	86
6-11 YEARS:	123	677	28.0	30.1	75.8	434	3.7	83
ALL	123	677	28.0	30.1	75.8	434	3.7	83
PAY	82	676	27.6	29.8	76.8	437	3.7	83
FREE OR REDUCED PRICE	41	678	28.9	30.6	73.9	429	3.8	84
NOT REPORTED	0	*	*	*	*	*	*	*
12-18 YEARS:	85	679	27.6	31.2	74.1	420	3.9	89
ALL	85	679	27.6	31.2	74.1	420	3.9	89
PAY	57	698	27.4	32.3	77.0	437	3.8	87
FREE OR REDUCED PRICE	28	638	28.1	29.1	68.3	384	4.2	95
NOT REPORTED	0	*	*	*	*	*	*	*

Table 1B.--NUTRITIVE VALUE OF LUNCH: MEAN

AGE OF STUDENT AND LUNCH PAY STATUS OF NSLP PARTICIPANTS (1)	TOTAL NUMBER OF DAYS (2)	PHOS-PHORUS (10)	VITAMIN A VALUE (11)	THIA-MIN (12)	RIBO-FLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCOR-BIC ACID (17)
		MG	IU	MG	MG	MG	MG	MCG	MG
NSLP PARTICIPANT DAYS:	208	497	1979	0.47	0.76	5.0	0.41	1.62	16
6-11 YEARS:	123	486	2110	0.43	0.74	4.9	0.40	1.53	16
ALL	123	486	2110	0.43	0.74	4.9	0.40	1.53	16
PAY	82	481	1970	0.42	0.74	4.7	0.41	1.52	18
FREE OR REDUCED PRICE	41	495	2390	0.44	0.74	5.1	0.39	1.56	12
NOT REPORTED	0	*	*	*	*	*	*	*	*
12-18 YEARS:	85	512	1788	0.52	0.80	5.2	0.42	1.74	15
ALL	85	512	1788	0.52	0.80	5.2	0.42	1.74	15
PAY	57	515	2004	0.60	0.87	5.1	0.45	1.77	17
FREE OR REDUCED PRICE	28	508	1338	0.36	0.66	5.5	0.38	1.68	12
NOT REPORTED	0	*	*	*	*	*	*	*	*

Table 2.-- MEAN NUTRITIVE VALUE OF LUNCH RELATED TO RDA (1980) ADJUSTED FOR NSLP

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF ADJUSTED RDA (1980) FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
ALL DAYS:	1078	24.8	50.8	29.0	22.5	25.3	35.7	27.7	31.3	37.5	30.5	17.8	34.8	38.3
MALE AND FEMALE 6-8 YEARS:	295	26.8	62.0	35.6	30.6	31.4	43.2	36.6	32.0	40.5	32.8	20.0	35.7	44.5
ALL LEVELS	259	27.2	63.1	35.4	31.1	31.6	43.4	35.0	32.4	40.8	33.6	20.2	36.5	42.4
0-100	32	26.3	66.9	35.5	31.2	28.4	44.9	17.7	30.4	44.7	33.1	20.2	43.0	31.3
101-125	17	23.1	52.3	23.9	27.6	27.9	32.9	16.3	26.1	30.8	33.3	15.2	27.5	42.0
126-195	60	25.9	61.3	35.3	28.9	30.2	43.4	34.6	32.3	40.1	33.1	21.9	37.5	37.0
196 AND OVER	151	28.3	64.2	36.8	32.4	33.2	44.2	40.9	33.5	41.4	34.0	20.1	35.7	47.0
INCOME NOT REPORTED	37	24.4	54.6	36.3	27.0	30.1	41.9	48.3	29.3	38.1	27.3	18.9	30.3	59.1
MALE AND FEMALE 9-11 YEARS	251	24.5	54.1	33.3	23.8	27.0	38.9	33.6	30.6	37.6	28.5	18.8	34.4	47.9
ALL LEVELS	224	24.3	54.1	33.0	23.7	26.9	38.8	32.3	30.5	37.3	28.8	18.8	34.4	47.8
0-100	12	15.1	42.4	21.5	18.0	15.3	26.2	30.0	23.1	29.7	19.0	12.3	27.8	24.3
101-125	20	32.2	64.9	35.3	31.8	28.0	44.1	46.2	40.4	43.5	31.0	21.5	52.7	55.5
126-195	31	27.1	56.4	33.0	24.6	26.4	40.5	39.5	34.1	38.7	32.9	18.9	33.3	51.4
196 AND OVER	162	23.5	53.2	33.6	22.9	27.8	38.7	29.4	29.1	36.8	28.4	19.0	32.9	47.9
INCOME NOT REPORTED	27	26.1	53.8	35.3	24.8	27.1	39.7	44.0	31.0	40.2	25.9	18.2	34.1	48.5
MALE 12-18 YEARS:	272	28.4	50.0	26.6	19.9	24.8	34.9	19.4	37.0	41.4	36.1	18.1	38.4	32.4
ALL LEVELS	214	28.3	48.6	25.8	19.4	25.1	34.1	16.9	36.5	40.7	36.2	17.5	36.5	30.8
0-100	23	33.4	64.0	28.2	25.3	41.5	44.1	19.0	33.0	42.2	59.0	23.9	46.3	29.2
101-125	11	33.2	45.1	28.4	20.9	18.3	35.7	19.2	42.3	36.0	25.8	14.9	33.0	54.0
126-195	20	29.6	53.0	33.3	21.8	26.0	41.7	33.4	56.9	56.2	35.3	17.6	41.9	32.2
196 AND OVER	160	27.1	46.0	24.3	18.1	23.0	31.6	14.3	34.1	38.8	33.7	16.7	34.6	29.3
INCOME NOT REPORTED	58	28.5	55.3	29.5	21.7	23.8	37.7	28.7	38.5	43.9	35.5	20.5	45.4	38.0
FEMALE 12-18 YEARS:	259	19.0	35.5	19.9	14.5	17.3	24.9	20.6	25.2	29.9	24.1	13.8	30.2	28.3
ALL LEVELS	197	18.3	33.2	18.8	13.5	16.2	23.2	16.9	22.1	27.4	22.2	12.1	27.1	28.0
0-100	18	21.4	37.5	25.1	16.7	21.8	31.8	13.7	19.7	34.6	19.6	14.0	36.0	21.5
101-125	2	28.3	32.4	13.0	16.3	9.6	19.5	9.9	33.3	21.0	20.6	8.1	12.1	24.2
126-195	35	19.3	31.9	17.8	14.2	15.1	22.5	7.6	22.9	28.5	22.2	11.9	27.6	29.2
196 AND OVER	142	17.6	33.0	18.3	12.9	15.9	22.4	19.7	22.1	26.3	22.5	12.0	26.1	28.6
INCOME NOT REPORTED	63	21.2	42.8	23.3	17.7	20.4	30.1	32.1	34.6	37.7	30.0	19.0	39.8	29.2

Table 2.-- MEAN NUTRITIVE VALUE OF LUNCH RELATED TO RDA (1980) ADJUSTED FOR NSLP

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF ADJUSTED RDA (1980) FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
NSLP PARTICIPANT DAYS:	208	29.3	71.6	44.1	28.8	30.4	50.8	53.2	39.9	57.4	32.7	24.2	55.1	32.0
MALE AND FEMALE 6-8 YEARS:	70	30.7	84.7	52.0	37.0	34.7	58.1	65.3	36.4	58.5	33.1	26.4	55.0	34.7
ALL LEVELS	61	30.9	85.0	51.4	37.6	34.5	58.4	64.2	36.7	58.6	34.0	26.4	55.2	34.2
0-100	12	28.8	92.5	52.5	36.7	37.6	63.0	27.3	34.6	59.4	38.3	28.3	61.4	17.5
101-125	1	31.2	83.0	49.6	40.5	38.0	64.2	51.5	38.2	59.2	36.1	28.3	58.0	35.6
126-195	12	29.9	84.5	48.5	35.2	34.9	55.9	66.3	37.1	57.5	38.8	30.0	51.6	46.4
196 AND OVER	36	31.8	82.9	52.1	38.5	33.2	57.6	75.8	37.1	58.8	31.0	24.4	54.3	35.4
INCOME NOT REPORTED	8	29.7	82.6	56.7	32.7	36.1	55.5	73.0	34.4	57.7	26.0	27.0	53.8	38.1
MALE AND FEMALE 9-11 YEARS	54	29.9	77.0	48.2	29.0	31.2	54.0	58.9	38.3	55.8	32.2	24.3	50.8	35.4
ALL LEVELS	45	29.3	75.0	46.7	28.8	30.7	52.9	59.6	38.9	55.1	32.2	23.8	49.5	36.7
0-100	5	23.6	66.9	42.4	26.4	26.8	45.1	65.1	42.5	50.0	27.5	18.0	41.0	21.4
101-125	7	30.9	69.5	46.7	28.2	35.0	53.4	61.5	38.4	49.8	29.9	24.3	51.6	45.3
126-195	7	27.1	65.6	41.8	28.5	28.3	47.7	89.8	54.3	59.6	31.3	20.1	43.2	53.1
196 AND OVER	26	30.5	80.5	48.8	29.5	30.7	55.5	50.4	34.4	56.3	33.9	25.6	52.0	32.7
INCOME NOT REPORTED	9	32.7	86.8	55.8	30.1	34.1	59.7	54.9	35.4	59.3	32.5	26.9	57.3	29.1
MALE 12-18 YEARS:	39	29.8	59.0	37.1	22.0	28.9	45.4	37.2	46.0	59.2	33.1	22.7	58.9	23.3
ALL LEVELS	31	30.4	61.0	36.5	23.8	30.6	45.9	35.6	40.5	56.0	36.3	24.0	58.9	26.1
0-100	11	27.1	65.1	28.7	26.0	33.8	45.4	30.3	25.7	42.4	45.0	23.0	62.0	16.6
101-125	1	26.3	45.2	14.2	24.4	18.2	22.3	8.2	40.8	45.0	41.2	14.2	29.7	16.4
126-195	5	32.2	61.0	43.9	28.9	32.1	50.7	48.5	47.6	60.6	31.1	25.5	68.7	19.5
196 AND OVER	15	32.3	58.9	40.7	20.3	28.3	45.8	36.3	48.8	64.8	31.5	24.7	54.7	35.8
INCOME NOT REPORTED	8	27.4	50.8	39.3	14.9	22.4	43.6	43.8	68.2	72.1	20.4	17.8	58.9	11.7
FEMALE 12-18 YEARS:	46	26.0	56.3	33.3	21.8	24.1	40.4	41.8	41.8	55.9	32.4	21.9	57.1	31.3
ALL LEVELS	33	23.5	49.1	31.1	19.9	21.8	36.3	43.4	31.5	47.9	28.4	18.1	48.2	32.2
0-100	10	22.1	51.7	33.5	20.7	25.3	40.6	14.6	25.4	46.0	26.1	18.1	54.2	21.7
101-125	0	*	*	*	*	*	*	*	*	*	*	*	*	*
126-195	6	22.7	45.7	17.9	22.2	17.1	25.6	8.8	30.8	38.3	36.1	19.3	41.9	71.6
196 AND OVER	17	24.6	48.6	34.0	18.7	21.3	37.4	72.7	35.5	52.3	27.2	17.8	46.7	25.1
INCOME NOT REPORTED	13	32.0	73.9	38.6	26.4	29.7	50.4	38.1	67.0	75.6	42.1	31.2	78.8	29.2

Table 2.-- MEAN NUTRITIVE VALUE OF LUNCH RELATED TO RDA (1980) ADJUSTED FOR NSLP

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF ADJUSTED RDA (1980) FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
NSLP NONPARTICIPANT DAYS:	870	23.7	45.8	25.4	20.9	24.1	32.1	21.6	29.2	32.7	30.0	16.2	29.9	39.8
MALE AND FEMALE 6-8 YEARS:	225	25.6	55.0	30.4	28.7	30.4	38.6	27.8	30.6	34.9	32.8	18.1	29.7	47.6
ALL LEVELS	197	26.0	56.3	30.5	29.1	30.7	38.7	25.9	31.1	35.3	33.5	18.3	30.7	45.0
0-100	20	24.9	52.3	25.8	28.1	23.1	34.6	12.2	28.1	36.3	30.1	15.6	32.5	39.2
101-125	15	22.4	49.3	21.4	26.3	26.9	29.9	12.8	24.9	28.0	33.1	13.9	24.5	42.6
126-195	47	24.9	55.4	32.0	27.4	28.9	40.2	26.4	31.1	35.6	31.6	19.8	33.8	34.6
196 AND OVER	114	27.1	58.3	31.9	30.4	33.2	40.0	29.8	32.4	36.0	34.9	18.7	29.8	50.7
INCOME NOT REPORTED	28	22.8	46.2	30.2	25.4	28.2	37.8	40.9	27.8	32.2	27.8	16.5	23.2	65.5
MALE AND FEMALE 9-11 YEARS	198	23.1	47.9	29.2	22.4	25.8	34.3	26.7	28.5	32.7	27.4	17.3	29.9	51.3
ALL LEVELS	179	23.1	48.9	29.6	22.4	26.0	35.2	25.4	28.4	32.8	27.9	17.6	30.6	50.6
0-100	7	9.3	25.9	7.5	12.3	7.6	13.5	6.4	10.0	16.0	13.3	8.5	19.0	26.3
101-125	12	33.0	62.1	28.4	34.0	23.9	38.5	37.0	41.7	39.7	31.6	19.8	53.3	61.7
126-195	24	27.1	53.9	30.5	23.5	25.8	38.6	25.7	28.5	33.0	33.4	18.5	30.5	50.9
196 AND OVER	136	22.1	48.0	30.7	21.7	27.2	35.4	25.3	28.1	33.0	27.4	17.7	29.2	50.8
INCOME NOT REPORTED	19	23.0	38.3	25.7	22.2	23.8	30.3	38.8	29.0	31.2	22.8	14.0	23.1	57.7
MALE 12-18 YEARS:	234	28.1	48.5	24.9	19.6	24.1	33.1	16.5	35.5	38.5	36.5	17.4	35.0	33.9
ALL LEVELS	183	28.0	46.5	24.0	18.7	24.1	32.1	13.8	35.9	38.1	36.2	16.4	32.7	31.6
0-100	13	38.7	63.1	27.8	24.6	47.8	42.9	9.6	39.0	42.1	70.6	24.6	33.2	39.7
101-125	10	33.6	45.1	29.4	20.6	18.3	36.7	20.0	42.4	35.3	24.6	15.0	33.2	56.7
126-195	15	28.7	50.4	29.8	19.4	24.0	38.7	28.4	60.0	54.7	36.6	15.0	33.0	36.4
196 AND OVER	145	26.6	44.7	22.7	17.9	22.5	30.1	12.1	32.6	36.2	33.9	15.9	32.6	28.7
INCOME NOT REPORTED	51	28.7	56.0	28.1	22.8	24.1	36.8	26.4	34.0	39.7	37.8	20.9	43.4	42.0
FEMALE 12-18 YEARS:	213	17.5	31.0	16.9	13.0	15.8	21.5	16.0	21.5	24.2	22.3	12.0	24.3	27.6
ALL LEVELS	164	17.3	30.0	16.3	12.3	15.1	20.6	11.6	20.3	23.3	20.9	11.0	22.9	27.2
0-100	7	20.4	18.0	13.5	11.3	17.0	19.8	12.5	11.8	18.8	10.6	8.3	11.1	21.2
101-125	2	28.3	32.4	13.0	16.3	9.6	19.5	9.9	33.3	21.0	20.6	8.1	12.1	24.2
126-195	30	18.6	29.3	17.7	12.7	14.7	21.9	7.4	21.3	26.6	19.6	10.5	24.8	21.0
196 AND OVER	125	16.6	30.8	16.2	12.1	15.2	20.3	12.5	20.3	22.8	21.9	11.3	23.3	29.0
INCOME NOT REPORTED	49	18.2	34.4	19.1	15.3	17.9	24.6	30.5	25.8	27.3	26.6	15.7	29.2	29.2

Table 3.--PERCENT OF LUNCHES THAT PROVIDE ONE-THIRD OR MORE OF STUDENT'S RDA (1980)

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
ALL DAYS:	1078	21.9	69.4	42.3	17.7	27.2	50.9	20.8	36.4	49.0	37.1	10.8	45.8	31.0
MALE AND FEMALE 6-8 YEARS:	295	25.9	83.1	52.2	35.2	41.3	64.1	28.6	40.5	55.6	45.0	13.0	51.2	35.8
ALL LEVELS	259	26.8	84.7	52.6	36.5	41.3	64.0	27.8	41.7	56.4	46.7	12.9	52.6	36.1
0-100	32	26.9	76.0	55.2	35.3	32.7	64.5	12.6	35.8	62.2	48.1	15.0	57.1	40.8
101-125	17	13.6	77.1	33.1	29.7	30.5	55.3	13.8	36.1	37.4	52.3	0.0	51.6	30.5
126-195	60	23.0	80.1	55.6	33.8	44.3	65.1	22.8	46.0	58.4	45.8	18.3	54.2	22.1
196 AND OVER	151	29.7	89.2	53.0	38.6	43.0	64.4	34.6	41.9	56.5	46.2	11.7	51.1	41.3
INCOME NOT REPORTED	37	19.8	72.2	49.8	25.8	42.0	65.1	33.6	31.9	49.8	32.8	14.2	41.5	33.8
MALE AND FEMALE 9-11 YEARS	251	15.7	75.4	54.7	17.8	32.9	61.1	24.0	39.8	56.1	29.8	13.2	46.9	32.8
ALL LEVELS	224	16.0	75.4	54.6	18.7	32.2	60.7	23.0	38.9	56.2	32.1	13.0	47.4	32.0
0-100	12	8.6	50.3	46.5	14.7	0.0	44.1	16.8	16.8	52.7	29.3	6.1	42.0	14.4
101-125	20	32.3	95.8	56.6	47.2	34.0	69.7	36.3	57.0	66.4	42.0	11.6	62.5	51.3
126-195	31	16.8	77.7	58.6	16.9	27.9	67.4	31.0	50.3	56.2	34.8	15.9	49.8	38.6
196 AND OVER	162	14.4	74.2	54.2	15.9	35.1	59.5	20.3	36.1	55.3	30.5	13.0	45.4	29.6
INCOME NOT REPORTED	27	13.3	75.3	55.1	10.5	39.2	64.4	32.1	47.4	55.1	11.0	15.2	43.0	40.1
MALE 12-18 YEARS:	272	24.6	67.4	32.3	11.3	17.2	44.6	14.9	33.5	43.7	37.0	9.8	49.0	28.8
ALL LEVELS	214	25.1	66.0	29.7	12.1	19.1	43.5	10.7	34.3	43.3	37.4	9.3	47.6	27.3
0-100	23	28.8	85.9	20.5	28.6	39.2	62.9	4.3	31.8	52.2	52.6	24.7	63.8	29.3
101-125	11	36.8	76.9	30.7	0.0	0.0	30.7	0.0	50.3	50.9	6.7	0.0	37.5	73.7
126-195	20	27.7	74.2	42.8	20.0	31.8	50.0	28.2	35.3	46.4	50.3	3.6	57.4	31.6
196 AND OVER	160	23.5	61.3	29.3	9.6	15.8	40.7	10.1	33.4	41.1	35.7	8.4	44.7	23.3
INCOME NOT REPORTED	58	22.5	72.5	41.7	8.1	10.1	48.6	30.3	30.4	45.1	35.4	11.9	53.8	34.3
FEMALE 12-18 YEARS:	259	20.5	50.0	29.4	4.6	16.0	32.4	15.1	31.7	40.1	35.4	6.8	35.1	26.2
ALL LEVELS	197	19.2	47.4	26.5	2.9	14.4	30.8	10.9	28.8	39.5	31.5	3.9	32.7	24.4
0-100	18	26.4	65.2	49.1	17.6	30.5	34.7	6.2	8.3	70.8	30.5	8.3	38.8	12.4
101-125	2	33.3	66.7	0.0	0.0	0.0	0.0	0.0	66.7	0.0	0.0	0.0	0.0	33.3
126-195	35	16.3	41.8	23.0	0.0	16.2	29.5	2.0	38.6	32.3	28.0	2.0	33.4	33.5
196 AND OVER	142	18.9	46.2	24.9	1.9	12.1	31.1	13.8	28.3	37.9	33.0	3.8	32.2	23.4
INCOME NOT REPORTED	63	24.5	58.2	38.4	9.7	21.3	37.3	28.5	40.8	42.1	47.8	15.9	42.9	32.0

Table 3.-- PERCENT OF LUNCHES THAT PROVIDE ONE-THIRD OR MORE OF STUDENT'S RDA (1980)

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
NSLP PARTICIPANT DAYS:	208	30.1	93.0	79.6	29.9	34.6	82.2	48.2	46.2	89.9	39.1	18.4	76.3	37.9
MALE AND FEMALE 6-8 YEARS:	70	27.0	99.0	93.0	51.3	47.8	93.0	58.5	41.7	94.7	42.3	24.0	84.2	39.2
ALL LEVELS	61	27.9	98.8	92.1	54.3	46.2	92.1	55.8	41.1	93.9	45.3	24.5	85.1	40.9
0-100	12	28.5	100.0	100.0	34.9	47.6	100.0	21.4	21.4	100.0	48.3	26.2	80.2	12.7
101-125	1	0.0	100.0	100.0	50.0	50.0	100.0	100.0	50.0	100.0	50.0	0.0	100.0	50.0
126-195	12	24.2	94.1	88.2	61.1	61.1	88.2	43.1	57.7	88.2	70.3	42.7	88.2	39.5
196 AND OVER	36	30.0	100.0	90.5	58.3	40.6	90.5	69.4	41.4	93.7	35.8	18.8	85.0	50.0
INCOME NOT REPORTED	8	20.8	100.0	100.0	29.7	59.6	100.0	77.5	46.1	100.0	20.8	20.8	77.5	27.9
MALE AND FEMALE 9-11 YEARS	54	31.7	96.8	93.3	25.5	38.2	95.4	58.9	58.9	96.5	32.5	22.6	77.0	42.3
ALL LEVELS	45	33.1	96.2	92.0	25.7	33.2	94.5	55.6	58.6	95.8	34.0	21.9	75.1	42.8
0-100	5	21.3	78.7	100.0	21.3	0.0	78.7	41.8	41.8	100.0	41.8	0.0	58.2	20.5
101-125	7	25.3	100.0	100.0	19.8	54.9	100.0	60.4	45.1	100.0	35.2	19.8	90.1	50.6
126-195	7	21.9	89.2	89.2	22.1	32.9	89.2	78.1	78.4	89.2	28.3	22.1	89.2	67.3
196 AND OVER	26	40.4	100.0	88.9	29.1	33.0	97.2	51.0	60.4	95.6	33.7	26.4	78.3	38.4
INCOME NOT REPORTED	9	24.6	100.0	100.0	24.6	63.9	100.0	75.4	60.6	100.0	24.6	26.2	86.9	39.4
MALE 12-18 YEARS:	39	26.0	90.5	54.8	16.7	21.2	73.7	28.6	34.6	82.6	26.0	13.9	77.5	28.7
ALL LEVELS	31	25.6	94.9	54.1	20.9	26.5	77.7	21.5	25.3	85.1	32.5	17.4	78.7	32.6
0-100	11	22.0	85.2	14.8	29.5	36.7	55.7	9.5	7.2	63.3	36.7	22.0	78.0	9.5
101-125	1	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	00.0	0.0	0.0	0.0
126-195	5	28.8	100.0	71.5	43.1	28.8	85.8	28.8	43.1	85.8	42.7	14.6	85.8	14.6
196 AND OVER	15	28.5	100.0	79.4	7.9	19.6	94.9	28.7	28.5	100.0	22.4	15.8	80.8	57.4
INCOME NOT REPORTED	8	27.5	72.5	57.5	0.0	0.0	57.5	57.5	72.5	72.5	0.0	0.0	72.5	12.6
FEMALE 12-18 YEARS:	46	36.3	81.6	64.3	13.8	21.6	57.5	36.5	47.7	81.2	52.7	8.6	62.6	38.3
ALL LEVELS	33	29.5	79.9	58.5	9.5	17.6	49.0	29.8	39.1	79.3	45.1	2.2	53.1	34.2
0-100	10	30.4	90.3	62.5	30.4	30.4	37.5	0.0	7.2	100.0	45.6	7.2	59.9	14.3
101-125	0	*	*	*	*	*	*	*	*	*	*	*	*	*
126-195	6	40.0	60.0	20.0	0.0	20.0	40.0	0.0	40.0	40.0	60.0	0.0	40.0	80.0
196 AND OVER	17	25.5	80.3	69.2	0.0	9.0	59.0	58.1	58.4	80.1	39.7	0.0	53.5	30.7
INCOME NOT REPORTED	13	52.9	85.7	78.5	24.2	31.4	78.5	52.9	68.6	85.7	71.3	24.2	85.7	48.5

Table 3.-- PERCENT OF LUNCHES THAT PROVIDE ONE-THIRD OR MORE OF STUDENT'S RDA (1980)

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
NSLP NONPARTICIPANT DAYS:	870	19.9	63.7	33.3	14.8	25.4	43.4	14.3	34.1	39.2	36.7	8.9	38.5	29.4
MALE AND FEMALE 6-8 YEARS:	225	25.6	78.2	39.6	30.2	39.3	55.1	19.3	40.1	43.5	45.8	9.4	41.0	34.8
ALL LEVELS	197	26.4	80.3	40.3	31.0	39.7	55.2	19.1	41.9	44.8	47.2	9.3	42.5	34.6
0-100	20	26.0	62.4	29.7	35.6	24.2	44.3	7.7	44.0	40.8	47.9	8.5	44.1	56.8
101-125	15	14.9	74.8	26.5	27.7	28.6	50.9	5.4	34.8	31.3	52.5	0.0	46.9	28.6
126-195	47	22.7	76.5	47.3	26.8	40.0	59.2	17.6	43.0	50.7	39.5	12.1	45.5	17.7
196 AND OVER	114	29.6	85.8	41.1	32.4	43.8	56.1	23.6	42.0	44.8	49.5	9.5	40.3	38.5
INCOME NOT REPORTED	28	19.5	63.9	34.7	24.7	36.7	54.6	20.4	27.6	34.7	36.4	12.2	30.6	35.8
MALE AND FEMALE 9-11 YEARS	198	11.4	69.6	44.2	15.7	31.5	51.8	14.5	34.6	45.2	29.1	10.6	38.7	30.3
ALL LEVELS	179	11.8	70.2	45.3	17.0	31.9	52.3	14.8	33.9	46.3	31.6	10.7	40.4	29.2
0-100	7	0.0	31.1	10.5	10.3	0.0	20.8	0.0	0.0	20.8	20.8	10.3	31.1	10.3
101-125	12	36.5	93.3	30.4	63.9	21.3	51.4	21.7	64.2	46.1	46.1	6.7	45.8	51.8
126-195	24	15.5	74.5	50.2	15.5	26.6	61.5	18.2	42.6	47.2	36.6	14.2	39.0	30.7
196 AND OVER	136	9.5	69.3	47.5	13.3	35.5	52.3	14.4	31.4	47.5	29.9	10.5	40.6	27.9
INCOME NOT REPORTED	19	8.0	63.7	33.9	3.9	27.5	47.6	11.6	41.2	33.9	4.6	10.1	22.3	40.5
MALE 12-18 YEARS:	234	24.3	63.6	28.6	10.4	16.5	39.8	12.6	33.3	37.3	38.8	9.2	44.3	28.8
ALL LEVELS	183	25.0	61.1	25.6	10.7	17.8	37.7	8.9	35.8	36.3	38.3	7.9	42.4	26.4
0-100	13	34.6	86.5	25.2	27.8	41.3	68.8	0.0	52.2	42.9	65.7	27.0	51.9	45.8
101-125	10	39.5	75.2	33.0	0.0	0.0	33.0	0.0	46.7	47.4	0.0	0.0	40.2	79.0
126-195	15	27.4	65.6	33.3	12.3	32.8	38.2	27.9	32.8	33.3	52.9	0.0	48.0	37.3
196 AND OVER	145	23.0	57.4	24.3	9.8	15.5	35.3	8.3	33.9	35.2	37.0	7.6	41.1	19.9
INCOME NOT REPORTED	51	21.8	72.5	39.3	9.3	11.6	47.2	26.2	24.0	41.0	40.8	13.7	51.0	37.5
FEMALE 12-18 YEARS:	213	17.1	43.1	21.8	2.6	14.8	27.0	10.5	28.2	31.2	31.7	6.4	29.2	23.6
ALL LEVELS	164	17.2	40.8	20.1	1.6	13.7	27.2	7.1	26.7	31.5	28.8	4.2	28.6	22.4
0-100	7	20.9	30.7	30.7	0.0	30.7	30.7	14.8	9.9	30.7	9.9	9.9	9.9	9.9
101-125	2	33.3	66.7	0.0	0.0	0.0	0.0	0.0	66.7	0.0	0.0	0.0	0.0	33.3
126-195	30	11.8	38.3	23.6	0.0	15.5	27.5	2.4	38.3	30.8	21.8	2.4	32.2	24.5
196 AND OVER	125	18.0	41.6	18.9	2.1	12.5	27.4	7.8	24.3	32.2	32.0	4.4	29.3	22.5
INCOME NOT REPORTED	49	16.8	50.8	27.5	5.8	18.5	26.2	21.9	33.2	30.2	41.4	13.6	31.2	27.5

Table 4.--MEAN NUTRIENT DENSITY OF LUNCH

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	AMOUNT PER 1,000 KCALORIES: PROTEIN (3)	FAT (4)	CARBOHYDRATE (5)	CALCIUM (6)	IRON (7)	MAGNESIUM (8)	PHOSPHORUS (9)
		G	G	G	MG	MG	MG	MG
ALL DAYS:	1078	35.2	44.6	118.5	500	5.3	126	618
MALE AND FEMALE 6-8 YEARS:	295	35.3	43.1	122.4	505	5.4	128	614
ALL LEVELS	259	35.4	43.5	121.3	497	5.5	127	608
0-100	32	38.7	42.0	119.1	513	5.6	118	649
101-125	17	34.5	42.1	125.8	394	5.7	132	542
126-195	60	36.1	43.5	119.4	520	5.3	128	638
196 AND OVER	151	34.6	43.9	122.1	495	5.5	129	596
INCOME NOT REPORTED	37	34.1	40.5	130.4	567	5.3	135	654
MALE AND FEMALE 9-11 YEARS	251	34.9	43.1	123.0	538	5.3	128	628
ALL LEVELS	224	35.2	43.4	122.0	538	5.3	129	631
0-100	12	44.6	40.0	118.0	566	6.5	119	689
101-125	20	31.9	45.0	120.2	433	5.3	102	542
126-195	31	32.9	40.3	130.4	481	4.9	113	592
196 AND OVER	162	35.9	44.0	120.6	567	5.3	138	652
INCOME NOT REPORTED	27	32.6	40.5	130.2	536	5.1	121	602
MALE 12-18 YEARS:	272	34.5	47.1	113.2	459	5.2	121	602
ALL LEVELS	214	33.6	46.5	115.6	446	5.0	123	589
0-100	23	37.5	48.6	108.7	414	5.6	172	646
101-125	11	26.7	40.1	136.1	420	4.6	76	528
126-195	20	35.1	45.8	115.7	552	5.4	122	690
196 AND OVER	160	33.2	46.8	115.1	439	4.9	118	570
INCOME NOT REPORTED	58	38.0	49.1	104.6	507	5.6	116	647
FEMALE 12-18 YEARS:	259	36.6	44.8	116.1	511	5.6	126	641
ALL LEVELS	197	35.5	44.2	118.6	501	5.4	123	620
0-100	18	34.4	44.8	118.2	575	5.8	142	730
101-125	2	22.5	42.9	134.4	225	4.2	47	338
126-195	35	32.5	43.2	122.5	452	5.4	109	572
196 AND OVER	142	36.7	44.4	117.2	510	5.4	126	623
INCOME NOT REPORTED	63	39.6	46.4	109.3	538	6.1	134	695

Table 4.--MEAN NUTRIENT DENSITY OF LUNCH

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	AMOUNT PER 1,000 KCALORIES: PROTEIN (3)	FAT (4)	CARBOHYDRATE (5)	CALCIUM (6)	IRON (7)	MAGNESIUM (8)	PHOSPHORUS (9)
		G	G	G	MG	MG	MG	MG
NSLP PARTICIPANT DAYS:	208	41.1	45.1	110.9	632	5.6	126	733
MALE AND FEMALE 6-8 YEARS:	70	42.0	44.0	112.4	645	5.7	124	720
ALL LEVELS	61	42.0	44.1	112.5	634	5.8	122	721
0-100	12	48.9	48.2	94.1	693	6.1	143	833
101-125	1	40.5	45.4	115.4	606	6.2	134	784
126-195	12	43.1	45.1	108.0	618	5.6	128	712
196 AND OVER	36	39.7	42.5	119.2	623	5.8	114	689
INCOME NOT REPORTED	8	42.3	43.8	111.2	726	5.2	133	711
MALE AND FEMALE 9-11 YEARS	54	40.8	44.9	111.6	638	5.3	122	715
ALL LEVELS	45	40.5	44.5	113.0	631	5.3	122	714
0-100	5	44.8	44.2	108.3	710	6.1	132	756
101-125	7	35.6	49.8	106.3	598	4.9	132	684
126-195	7	38.3	44.6	113.0	610	5.7	122	697
196 AND OVER	26	41.8	43.0	115.6	634	5.2	118	721
INCOME NOT REPORTED	9	42.0	46.8	105.4	675	5.0	122	723
MALE 12-18 YEARS:	39	38.8	46.5	110.4	609	5.4	135	747
ALL LEVELS	31	39.4	45.8	111.5	589	5.7	140	740
0-100	11	47.1	48.0	99.3	519	7.0	173	822
101-125	1	33.6	37.8	133.5	264	6.8	96	416
126-195	5	37.1	42.7	120.1	667	6.6	138	770
196 AND OVER	15	35.7	45.8	115.0	617	4.6	121	693
INCOME NOT REPORTED	8	36.3	49.8	105.4	702	4.0	113	779
FEMALE 12-18 YEARS:	46	42.5	45.6	108.2	627	6.2	129	763
ALL LEVELS	33	41.0	44.2	112.8	649	6.2	129	758
0-100	10	45.9	44.2	107.0	745	6.9	159	901
101-125	0	*	*	*	*	*	*	*
126-195	6	39.6	41.2	117.6	388	7.2	105	554
196 AND OVER	17	38.7	45.2	114.4	678	5.6	120	744
INCOME NOT REPORTED	13	45.2	48.0	99.9	590	6.1	128	771

Table 4.--MEAN NUTRIENT DENSITY OF LUNCH

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	AMOUNT PER 1,000 KCALORIES: PROTEIN (3)	FAT (4)	CARBOHYDRATE (5)	CALCIUM (6)	IRON (7)	MAGNESIUM (8)	PHOSPHORUS (9)
		G	G	G	MG	MG	MG	MG
NSLP NONPARTICIPANT DAYS:	870	33.5	44.5	120.7	461	5.3	125	585
MALE AND FEMALE 6-8 YEARS:	225	32.7	42.8	126.1	453	5.3	130	574
ALL LEVELS	197	33.0	43.2	124.6	447	5.3	129	567
0-100	20	32.0	37.9	135.6	394	5.4	102	529
101-125	15	33.6	41.6	127.2	365	5.6	132	509
126-195	47	33.9	43.0	122.9	490	5.2	127	616
196 AND OVER	114	32.7	44.4	123.2	448	5.3	134	561
INCOME NOT REPORTED	28	30.8	39.2	138.0	504	5.3	136	631
MALE AND FEMALE 9-11 YEARS	198	32.9	42.4	126.9	502	5.3	131	597
ALL LEVELS	179	33.6	43.0	124.9	508	5.3	132	604
0-100	7	44.1	32.7	134.6	319	7.2	95	574
101-125	12	29.8	42.2	128.1	340	5.6	84	462
126-195	24	31.5	39.1	135.2	446	4.7	111	564
196 AND OVER	136	34.3	44.2	122.0	549	5.3	143	633
INCOME NOT REPORTED	19	26.4	36.3	146.8	443	5.2	121	522
MALE 12-18 YEARS:	234	33.8	47.2	113.7	433	5.1	119	576
ALL LEVELS	183	32.5	46.7	116.4	420	4.9	120	561
0-100	13	32.0	49.0	114.2	352	4.7	172	544
101-125	10	26.3	40.2	136.2	428	4.5	75	534
126-195	15	34.4	46.9	114.1	508	5.0	116	660
196 AND OVER	145	32.9	47.0	115.1	417	5.0	117	555
INCOME NOT REPORTED	51	38.2	49.0	104.4	479	5.8	116	628
FEMALE 12-18 YEARS:	213	34.7	44.6	118.7	474	5.4	125	601
ALL LEVELS	164	34.0	44.2	120.2	461	5.2	121	583
0-100	7	17.3	45.8	134.9	323	4.1	116	475
101-125	2	22.5	42.9	134.4	225	4.2	47	338
126-195	30	30.8	43.7	123.7	467	5.0	110	576
196 AND OVER	125	36.3	44.2	117.8	476	5.4	127	599
INCOME NOT REPORTED	49	36.9	45.7	113.8	514	6.2	136	659

Table 4.-- MEAN NUTRIENT DENSITY OF LUNCH

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	AMOUNT PER 1,000 KCALORIES: VITAMIN A VALUE (10)	THIAMIN (11)	RIBOFLAVIN (12)	NIACIN (13)	VITAMIN B6 (14)	VITAMIN B12 (15)	ASCORBIC ACID (16)
		IU	MG	MG	MG	MG	MCG	MG
ALL DAYS:	1078	1814	0.63	0.87	8.1	0.53	1.77	33
MALE AND FEMALE 6-8 YEARS:	295	1984	0.63	0.86	8.2	0.53	1.78	36
ALL LEVELS	259	1871	0.62	0.86	8.2	0.53	1.79	33
0-100	32	974	0.61	0.97	8.4	0.55	2.17	25
101-125	17	1020	0.59	0.76	9.6	0.47	1.58	39
126-195	60	1939	0.65	0.88	8.5	0.60	1.93	31
196 AND OVER	151	2100	0.62	0.84	8.0	0.51	1.68	36
INCOME NOT REPORTED	37	2874	0.63	0.89	7.5	0.55	1.66	52
MALE AND FEMALE 9-11 YEARS	251	2196	0.62	0.89	7.7	0.54	1.75	38
ALL LEVELS	224	2130	0.63	0.89	7.9	0.55	1.77	38
0-100	12	3198	0.77	1.15	8.4	0.58	2.31	32
101-125	20	2302	0.63	0.79	6.4	0.47	2.04	34
126-195	31	2337	0.63	0.83	8.1	0.49	1.53	37
196 AND OVER	162	2006	0.62	0.91	8.1	0.57	1.75	40
INCOME NOT REPORTED	27	2701	0.59	0.90	6.6	0.49	1.63	36
MALE 12-18 YEARS:	272	1257	0.64	0.83	8.3	0.49	1.66	26
ALL LEVELS	214	1095	0.63	0.82	8.3	0.48	1.58	24
0-100	23	1044	0.48	0.72	11.5	0.55	1.70	20
101-125	11	1063	0.63	0.62	5.1	0.35	1.22	37
126-195	20	2072	0.94	1.08	7.8	0.46	1.73	24
196 AND OVER	160	972	0.62	0.82	8.1	0.48	1.56	24
INCOME NOT REPORTED	58	1847	0.66	0.88	8.1	0.56	1.95	30
FEMALE 12-18 YEARS:	259	1986	0.65	0.90	8.3	0.56	1.94	33
ALL LEVELS	197	1692	0.59	0.85	7.9	0.51	1.81	34
0-100	18	1179	0.45	0.92	6.0	0.51	2.07	23
101-125	2	640	0.58	0.42	4.8	0.22	0.52	19
126-195	35	728	0.58	0.84	7.5	0.48	1.75	34
196 AND OVER	142	2059	0.62	0.86	8.4	0.53	1.82	36
INCOME NOT REPORTED	63	2782	0.80	1.02	9.2	0.70	2.30	31

Table 4.-- MEAN NUTRIENT DENSITY OF LUNCH

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	AMOUNT PER 1,000 KCALORIES: VITAMIN A VALUE (10)	THIAMIN (11)	RIBOFLAVIN (12)	NIACIN (13)	VITAMIN B6 (14)	VITAMIN B12 (15)	ASCORBIC ACID (16)
		IU	MG	MG	MG	MG	MCG	MG
NSLP PARTICIPANT DAYS:	208	2921	0.69	1.13	7.4	0.61	2.39	23
MALE AND FEMALE 6-8 YEARS:	70	3084	0.62	1.09	7.2	0.61	2.39	24
ALL LEVELS	61	3020	0.62	1.09	7.3	0.61	2.38	24
0-100	12	1377	0.63	1.18	8.8	0.70	2.84	13
101-125	1	2400	0.64	1.08	7.7	0.65	2.48	24
126-195	12	3222	0.65	1.10	8.7	0.72	2.31	33
196 AND OVER	36	3457	0.61	1.05	6.5	0.55	2.27	24
INCOME NOT REPORTED	8	3567	0.61	1.11	5.8	0.65	2.41	27
MALE AND FEMALE 9-11 YEARS	54	3160	0.64	1.09	7.2	0.58	2.12	23
ALL LEVELS	45	3261	0.66	1.09	7.3	0.57	2.11	24
0-100	5	4417	0.90	1.23	7.8	0.54	2.17	18
101-125	7	3190	0.62	0.94	6.4	0.56	2.09	29
126-195	7	5313	1.00	1.28	7.7	0.53	1.99	38
196 AND OVER	26	2652	0.56	1.08	7.4	0.60	2.13	21
INCOME NOT REPORTED	9	2695	0.54	1.06	6.6	0.59	2.19	17
MALE 12-18 YEARS:	39	2294	0.76	1.13	7.3	0.59	2.42	18
ALL LEVELS	31	2151	0.65	1.05	7.8	0.61	2.37	19
0-100	11	2052	0.46	0.89	10.8	0.66	2.80	14
101-125	1	575	0.76	0.98	10.2	0.42	1.38	14
126-195	5	2762	0.72	1.07	6.3	0.61	2.61	14
196 AND OVER	15	2065	0.74	1.14	6.4	0.59	2.07	25
INCOME NOT REPORTED	8	2932	1.22	1.50	4.9	0.53	2.63	10
FEMALE 12-18 YEARS:	46	2960	0.79	1.23	8.1	0.65	2.69	27
ALL LEVELS	33	3393	0.66	1.17	7.9	0.60	2.51	31
0-100	10	1212	0.56	1.19	7.7	0.63	3.01	22
101-125	0	*	*	*	*	*	*	*
126-195	6	711	0.67	0.97	10.4	0.66	2.27	71
196 AND OVER	17	5424	0.71	1.21	7.2	0.56	2.32	23
INCOME NOT REPORTED	13	2183	1.02	1.35	8.6	0.76	3.01	20

Table 4.-- MEAN NUTRIENT DENSITY OF LUNCH

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	AMOUNT PER 1,000 KCALORIES: VITAMIN A VALUE (10)	THIAMIN (11)	RIBOFLAVIN (12)	NIACIN (13)	VITAMIN B6 (14)	VITAMIN B12 (15)	ASCORBIC ACID (16)
		IU	MG	MG	MG	MG	MCG	MG
NSLP NONPARTICIPANT DAYS:	870	1491	0.62	0.79	8.3	0.51	1.59	36
MALE AND FEMALE 6-8 YEARS:	225	1574	0.63	0.78	8.5	0.50	1.55	40
ALL LEVELS	197	1446	0.63	0.78	8.6	0.50	1.57	37
0-100	20	708	0.59	0.83	8.0	0.45	1.74	34
101-125	15	833	0.58	0.72	9.9	0.44	1.46	41
126-195	47	1543	0.66	0.82	8.5	0.57	1.81	30
196 AND OVER	114	1596	0.63	0.76	8.6	0.49	1.47	40
INCOME NOT REPORTED	28	2602	0.64	0.81	8.1	0.52	1.36	61
MALE AND FEMALE 9-11 YEARS	198	1858	0.62	0.83	7.9	0.53	1.62	44
ALL LEVELS	179	1770	0.62	0.83	8.1	0.54	1.66	43
0-100	7	1108	0.54	1.00	9.5	0.65	2.55	56
101-125	12	1799	0.63	0.70	6.4	0.42	2.02	37
126-195	24	1522	0.53	0.71	8.2	0.48	1.41	37
196 AND OVER	136	1835	0.64	0.87	8.2	0.57	1.65	45
INCOME NOT REPORTED	19	2705	0.63	0.79	6.6	0.43	1.26	49
MALE 12-18 YEARS:	234	1076	0.62	0.78	8.5	0.48	1.52	27
ALL LEVELS	183	902	0.63	0.78	8.4	0.45	1.43	25
0-100	13	458	0.49	0.62	11.9	0.49	1.05	23
101-125	10	1091	0.62	0.60	4.8	0.35	1.21	38
126-195	15	1815	1.02	1.09	8.3	0.41	1.41	28
196 AND OVER	145	839	0.60	0.78	8.3	0.46	1.50	24
INCOME NOT REPORTED	51	1690	0.58	0.79	8.6	0.56	1.85	33
FEMALE 12-18 YEARS:	213	1673	0.60	0.79	8.3	0.53	1.70	35
ALL LEVELS	164	1230	0.57	0.77	7.9	0.49	1.62	35
0-100	7	1130	0.28	0.53	3.4	0.32	0.66	23
101-125	2	640	0.58	0.42	4.8	0.22	0.52	19
126-195	30	732	0.56	0.82	6.9	0.44	1.63	25
196 AND OVER	125	1386	0.60	0.78	8.6	0.52	1.72	39
INCOME NOT REPORTED	49	3068	0.69	0.86	9.5	0.67	1.96	36

Table 5A.-- NUTRITIVE VALUE OF DAY'S INTAKE: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	FAT (5)	CARBO-HYDRATE (6)	CAL-CIUM (7)	IRON (8)	MAG-NESIUM (9)
		CAL	G	G	G	MG	MG	MG
ALL DAYS:	1078	1927	73.5	82.1	229.9	937	12.2	244
MALE AND FEMALE 6-8 YEARS:	295	1622	63.7	66.3	197.9	830	10.8	216
ALL LEVELS	259	1629	64.6	67.3	195.9	823	10.8	214
0-100	32	1551	71.2	61.5	180.8	785	9.9	186
101-125	17	1495	56.0	61.3	185.5	737	10.2	211
126-195	60	1555	58.6	62.9	192.8	773	10.4	203
196 AND OVER	151	1689	66.5	71.0	201.5	861	11.2	224
INCOME NOT REPORTED	37	1573	57.7	58.7	211.4	880	10.9	233
MALE AND FEMALE 9-11 YEARS	251	1886	70.7	78.9	230.3	917	12.0	240
ALL LEVELS	224	1864	70.6	78.2	226.2	904	12.0	239
0-100	12	1766	80.1	68.1	210.8	766	12.8	223
101-125	20	2037	75.5	85.5	248.5	725	13.5	270
126-195	31	1976	73.3	81.9	242.0	907	11.7	233
196 AND OVER	162	1828	68.8	77.4	221.6	935	11.8	238
INCOME NOT REPORTED	27	2068	71.4	84.1	263.7	1025	12.4	244
MALE 12-18 YEARS:	272	2518	94.7	111.6	291.8	1189	15.8	309
ALL LEVELS	214	2525	94.2	110.9	296.1	1160	15.7	309
0-100	23	2793	111.1	116.2	336.0	1209	18.7	379
101-125	11	3011	95.5	100.9	441.0	1232	18.4	355
126-195	20	2932	101.6	130.8	346.5	1512	16.4	358
196 AND OVER	160	2401	90.7	108.3	273.9	1103	15.0	290
INCOME NOT REPORTED	58	2490	96.4	113.9	276.2	1297	16.0	306
FEMALE 12-18 YEARS:	259	1695	65.0	72.5	200.9	813	10.2	214
ALL LEVELS	197	1634	63.3	69.5	194.1	764	10.1	206
0-100	18	1783	79.7	76.9	199.9	718	11.2	236
101-125	2	1844	53.2	63.9	274.1	461	12.1	156
126-195	35	1529	58.3	66.9	177.2	704	9.6	195
196 AND OVER	142	1639	62.7	69.3	196.4	789	10.0	205
INCOME NOT REPORTED	63	1884	70.2	81.7	222.1	969	10.6	240

Table 5A.-- NUTRITIVE VALUE OF DAY'S INTAKE: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PROTEIN (4)	FAT (5)	CARBOHYDRATE (6)	CALCIUM (7)	IRON (8)	MAGNESIUM (9)
		CAL	G	G	G	MG	MG	MG
NSLP PARTICIPANT DAYS:	208	1944	78.2	81.4	230.9	1026	12.6	246
MALE AND FEMALE 6-8 YEARS:	70	1752	76.6	75.5	195.3	951	11.5	224
ALL LEVELS	61	1733	77.2	75.2	190.3	933	11.0	215
0-100	12	1761	97.2	76.8	170.6	930	11.7	222
101-125	1	1733	70.0	82.4	183.3	965	11.4	228
126-195	12	1745	73.7	77.4	191.7	888	12.3	216
196 AND OVER	36	1720	72.3	73.6	196.4	948	10.4	212
INCOME NOT REPORTED	8	1894	71.6	77.6	231.8	1076	15.2	284
MALE AND FEMALE 9-11 YEARS	54	1974	77.2	83.1	238.0	1043	13.2	257
ALL LEVELS	45	1955	76.9	82.5	235.2	1022	13.1	255
0-100	5	1759	78.5	65.9	216.5	869	12.7	252
101-125	7	1743	66.5	77.5	203.4	791	11.9	250
126-195	7	1885	75.7	85.7	206.3	998	12.0	220
196 AND OVER	26	2069	79.9	86.1	255.0	1122	13.8	267
INCOME NOT REPORTED	9	2071	78.6	86.5	252.7	1148	13.8	265
MALE 12-18 YEARS:	39	2459	90.5	97.5	313.7	1284	16.3	301
ALL LEVELS	31	2434	94.0	98.2	301.8	1185	16.8	291
0-100	11	2749	113.1	108.8	338.0	1132	17.7	345
101-125	1	1587	54.4	60.2	213.2	663	10.6	187
126-195	5	2111	82.8	86.1	258.0	1115	14.8	259
196 AND OVER	15	2359	86.0	96.5	295.2	1273	17.0	268
INCOME NOT REPORTED	8	2562	76.6	95.0	361.7	1684	14.4	344
FEMALE 12-18 YEARS:	46	1769	71.4	74.8	207.4	904	10.5	220
ALL LEVELS	33	1671	70.8	72.9	187.3	818	10.6	208
0-100	10	1718	82.5	71.2	191.2	799	11.4	232
101-125	0	*	*	*	*	*	*	*
126-195	6	1452	71.6	69.4	135.0	530	10.6	155
196 AND OVER	17	1716	63.3	75.1	202.6	928	10.0	211
INCOME NOT REPORTED	13	2010	73.1	79.6	256.7	1116	10.5	251

Table 5A.-- NUTRITIVE VALUE OF DAY'S INTAKE: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PROTEIN (4)	FAT (5)	CARBOHYDRATE (6)	CALCIUM (7)	IRON (8)	MAGNESIUM (9)
		CAL	G	G	G	MG	MG	MG
NSLP NONPARTICIPANT DAYS:	870	1923	72.3	82.3	229.6	916	12.1	244
MALE AND FEMALE 6-8 YEARS:	225	1582	59.7	63.4	198.6	793	10.6	214
ALL LEVELS	197	1597	60.6	64.9	197.7	789	10.7	213
0-100	20	1432	56.4	52.8	186.6	702	8.9	166
101-125	15	1472	54.7	59.3	185.7	715	10.1	210
126-195	47	1506	54.7	59.1	193.1	744	9.9	200
196 AND OVER	114	1680	64.6	70.2	203.2	833	11.5	228
INCOME NOT REPORTED	28	1477	53.6	53.0	205.2	822	9.6	217
MALE AND FEMALE 9-11 YEARS	198	1862	68.9	77.7	228.2	883	11.7	235
ALL LEVELS	179	1841	69.0	77.1	224.0	875	11.7	235
0-100	7	1770	81.2	69.5	207.0	696	12.9	204
101-125	12	2215	80.9	90.3	275.8	686	14.4	282
126-195	24	2001	72.6	80.8	251.8	882	11.6	236
196 AND OVER	136	1782	66.7	75.7	215.2	899	11.4	233
INCOME NOT REPORTED	19	2067	68.0	83.0	268.9	968	11.8	234
MALE 12-18 YEARS:	234	2527	95.3	113.9	288.2	1174	15.7	310
ALL LEVELS	183	2541	94.2	113.1	295.1	1156	15.6	312
0-100	13	2830	109.5	122.3	334.3	1273	19.4	407
101-125	10	3114	98.5	103.9	457.5	1273	19.0	367
126-195	15	3204	107.9	145.6	375.8	1644	16.9	391
196 AND OVER	145	2405	91.1	109.5	271.8	1086	14.8	292
INCOME NOT REPORTED	51	2479	99.4	116.7	263.3	1238	16.2	301
FEMALE 12-18 YEARS:	213	1679	63.6	71.9	199.4	794	10.1	212
ALL LEVELS	164	1627	61.9	68.8	195.4	753	9.9	205
0-100	7	1873	75.9	84.7	211.8	608	11.0	242
101-125	2	1844	53.2	63.9	274.1	461	12.1	156
126-195	30	1543	55.7	66.4	185.3	738	9.4	203
196 AND OVER	125	1629	62.6	68.5	195.6	770	10.0	204
INCOME NOT REPORTED	49	1850	69.4	82.3	212.7	930	10.7	236

Table 5A.-- NUTRITIVE VALUE OF DAY'S INTAKE: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
		MG	IU	MG	MG	MG	MG	MCG	MG
ALL DAYS:	1078	1244	5230	1.36	2.00	17.7	1.42	5.11	99
MALE AND FEMALE 6-8 YEARS:	295	1082	4727	1.20	1.77	15.5	1.30	4.33	85
ALL LEVELS	259	1082	4697	1.21	1.77	15.7	1.30	4.43	86
0-100	32	1075	3565	1.22	1.72	16.2	1.35	3.34	60
101-125	17	971	3678	1.31	1.81	17.4	1.35	3.14	110
126-195	60	1007	4575	1.19	1.65	14.4	1.21	4.27	88
196 AND OVER	151	1125	5097	1.20	1.83	16.0	1.33	4.87	88
INCOME NOT REPORTED	37	1084	4939	1.16	1.72	14.2	1.26	3.61	78
MALE AND FEMALE 9-11 YEARS	251	1204	5660	1.34	1.98	17.3	1.37	5.22	97
ALL LEVELS	224	1195	5718	1.34	1.97	17.3	1.36	5.32	99
0-100	12	1200	4439	1.34	1.76	17.6	1.31	3.78	64
101-125	20	1153	6545	1.64	1.88	21.5	1.67	4.59	123
126-195	31	1223	4785	1.31	1.84	17.6	1.34	4.01	104
196 AND OVER	162	1195	5888	1.30	2.01	16.7	1.33	5.77	98
INCOME NOT REPORTED	27	1276	5181	1.38	2.12	17.3	1.45	4.35	84
MALE 12-18 YEARS:	272	1606	6425	1.75	2.62	23.3	1.81	7.11	111
ALL LEVELS	214	1588	6646	1.77	2.60	23.9	1.78	6.94	108
0-100	23	1745	7663	1.81	2.59	29.0	2.08	5.76	98
101-125	11	1633	7562	3.06	3.66	32.0	2.25	5.69	118
126-195	20	1862	5896	2.13	3.06	22.3	1.63	6.25	118
196 AND OVER	160	1527	6531	1.63	2.48	22.8	1.73	7.29	107
INCOME NOT REPORTED	58	1673	5614	1.65	2.68	21.3	1.92	7.70	123
FEMALE 12-18 YEARS:	259	1086	4132	1.16	1.62	14.5	1.20	3.78	102
ALL LEVELS	197	1042	3825	1.13	1.56	14.7	1.17	3.69	91
0-100	18	1196	5111	1.24	1.46	16.0	1.34	5.40	99
101-125	2	845	4222	1.75	1.76	16.2	1.70	4.98	149
126-195	35	979	2426	0.99	1.47	13.6	1.05	3.38	53
196 AND OVER	142	1041	4008	1.14	1.60	14.7	1.18	3.54	99
INCOME NOT REPORTED	63	1226	5095	1.26	1.79	14.1	1.26	4.06	135

Table 5A.-- NUTRITIVE VALUE OF DAY'S INTAKE: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
		MG	IU	MG	MG	MG	MG	MCG	MG
NSLP PARTICIPANT DAYS:	208	1321	5513	1.37	2.10	17.0	1.48	5.04	95
MALE AND FEMALE 6-8 YEARS:	70	1228	5419	1.15	1.91	15.9	1.37	5.02	63
ALL LEVELS	61	1226	5061	1.12	1.88	15.6	1.34	5.06	62
0-100	12	1386	2680	1.24	1.99	20.5	1.84	4.18	42
101-125	1	1289	3679	1.14	2.03	16.5	1.42	5.15	83
126-195	12	1195	7334	1.25	1.90	15.5	1.34	6.26	83
196 AND OVER	36	1183	5115	1.04	1.83	14.0	1.18	4.94	60
INCOME NOT REPORTED	8	1236	8015	1.35	2.15	18.0	1.63	4.71	75
MALE AND FEMALE 9-11 YEARS	54	1346	5799	1.35	2.14	17.5	1.51	4.44	100
ALL LEVELS	45	1340	5789	1.32	2.07	17.1	1.43	4.37	98
0-100	5	1306	4790	1.43	1.87	17.7	1.32	3.62	80
101-125	7	1121	7679	1.19	1.80	18.1	1.53	4.41	132
126-195	7	1371	5538	1.44	2.04	14.6	1.27	4.78	79
196 AND OVER	26	1400	5492	1.30	2.19	17.3	1.46	4.39	97
INCOME NOT REPORTED	9	1378	5851	1.53	2.48	20.0	1.93	4.78	108
MALE 12-18 YEARS:	39	1586	6089	1.91	2.80	22.7	2.02	6.04	130
ALL LEVELS	31	1568	5249	1.81	2.65	24.4	2.02	5.94	108
0-100	11	1731	4854	1.84	2.49	28.7	2.18	5.55	75
101-125	1	873	1917	1.16	1.67	18.2	1.19	3.82	117
126-195	5	1450	5563	1.47	2.28	21.1	1.62	5.84	54
196 AND OVER	15	1526	5598	1.94	2.94	22.7	2.09	6.37	150
INCOME NOT REPORTED	8	1660	9475	2.30	3.41	16.0	2.01	6.42	219
FEMALE 12-18 YEARS:	46	1211	4843	1.27	1.76	13.3	1.17	4.92	110
ALL LEVELS	33	1162	4277	1.16	1.59	13.7	1.19	5.09	92
0-100	10	1266	4354	1.41	1.56	16.2	1.47	7.56	108
101-125	0	*	*	*	*	*	*	*	*
126-195	6	1007	1233	0.84	1.35	14.0	1.12	4.92	62
196 AND OVER	17	1151	5264	1.11	1.69	12.1	1.05	3.64	93
INCOME NOT REPORTED	13	1331	6228	1.54	2.16	12.4	1.13	4.50	154

Table 5A.--NUTRITIVE VALUE OF DAY'S INTAKE: MEAN

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
		MG	IU	MG	MG	MG	MG	MCG	MG
NSLP NONPARTICIPANT DAYS:	870	1226	5162	1.36	1.97	17.8	1.41	5.12	99
MALE AND FEMALE 6-8 YEARS:	225	1037	4512	1.22	1.72	15.4	1.28	4.12	92
ALL LEVELS	197	1037	4584	1.24	1.74	15.8	1.29	4.24	93
0-100	20	898	4068	1.21	1.56	13.8	1.07	2.87	70
101-125	15	941	3678	1.33	1.79	17.5	1.34	2.95	113
126-195	47	959	3868	1.18	1.59	14.1	1.18	3.76	89
196 AND OVER	114	1106	5091	1.26	1.83	16.6	1.37	4.85	97
INCOME NOT REPORTED	28	1038	4013	1.10	1.59	13.0	1.15	3.28	79
MALE AND FEMALE 9-11 YEARS	198	1166	5622	1.34	1.94	17.2	1.33	5.43	97
ALL LEVELS	179	1159	5700	1.34	1.94	17.3	1.34	5.56	99
0-100	7	1128	4203	1.28	1.68	17.6	1.30	3.88	52
101-125	12	1173	5859	1.91	1.93	23.5	1.76	4.70	117
126-195	24	1182	4579	1.28	1.78	18.4	1.35	3.79	111
196 AND OVER	136	1155	5964	1.30	1.98	16.6	1.31	6.04	98
INCOME NOT REPORTED	19	1228	4865	1.31	1.95	16.0	1.22	4.14	73
MALE 12-18 YEARS:	234	1609	6481	1.72	2.59	23.4	1.78	7.28	108
ALL LEVELS	183	1591	6882	1.77	2.60	23.8	1.74	7.11	108
0-100	13	1757	9996	1.78	2.68	29.3	1.99	5.93	117
101-125	10	1687	7970	3.19	3.81	33.0	2.33	5.82	118
126-195	15	1998	6007	2.35	3.32	22.7	1.64	6.39	139
196 AND OVER	145	1527	6624	1.60	2.43	22.8	1.69	7.38	103
INCOME NOT REPORTED	51	1675	5030	1.55	2.57	22.1	1.90	7.90	109
FEMALE 12-18 YEARS:	213	1059	3978	1.14	1.59	14.8	1.20	3.54	100
ALL LEVELS	164	1018	3734	1.12	1.56	14.8	1.17	3.42	91
0-100	7	1099	6152	1.01	1.32	15.7	1.17	2.41	87
101-125	2	845	4222	1.75	1.76	16.2	1.70	4.98	149
126-195	30	973	2656	1.02	1.49	13.5	1.04	3.08	52
196 AND OVER	125	1026	3838	1.14	1.59	15.1	1.19	3.53	100
INCOME NOT REPORTED	49	1198	4787	1.19	1.69	14.6	1.30	3.95	130

Table 5B.-- NUTRITIVE VALUE OF DAY'S INTAKE: MEAN

AGE OF STUDENT AND LUNCH PAY STATUS OF NSLP PARTICIPANTS (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PROTEIN (4)	FAT (5)	CARBOHYDRATE (6)	CALCIUM (7)	IRON (8)	MAGNESIUM (9)
		CAL	G	G	G	MG	MG	MG
NSLP PARTICIPANT DAYS:	208	1944	78.2	81.4	230.9	1026	12.6	246
6-11 YEARS:	123	1849	76.8	78.8	213.8	991	12.3	238
ALL	123	1849	76.8	78.8	213.8	991	12.3	238
PAY	82	1904	77.3	81.2	223.6	1052	13.1	252
FREE OR REDUCED PRICE	41	1737	75.9	74.0	194.4	868	10.7	210
NOT REPORTED	0	*	*	*	*	*	*	*
12-18 YEARS:	85	2083	80.1	85.2	255.7	1077	13.2	257
ALL	85	2083	80.1	85.2	255.7	1077	13.2	257
PAY	57	2056	74.5	83.3	258.9	1140	13.0	253
FREE OR REDUCED PRICE	28	2138	91.8	88.9	249.1	945	13.5	265
NOT REPORTED	0	*	*	*	*	*	*	*

Table 5B.-- NUTRITIVE VALUE OF DAY'S INTAKE: MEAN

AGE OF STUDENT AND LUNCH PAY STATUS OF NSLP PARTICIPANTS (1)	TOTAL NUMBER OF DAYS (2)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
		MG	IU	MG	MG	MG	MG	MCG	MG
NSLP PARTICIPANT DAYS:	208	1321	5513	1.37	2.10	17.0	1.48	5.04	95
6-11 YEARS:	123	1279	5584	1.24	2.01	16.6	1.43	4.77	79
ALL	123	1279	5584	1.24	2.01	16.6	1.43	4.77	79
PAY	82	1326	6041	1.29	2.14	16.8	1.48	5.31	87
FREE OR REDUCED PRICE	41	1185	4673	1.14	1.74	16.2	1.34	3.69	65
NOT REPORTED	0	*	*	*	*	*	*	*	*
12-18 YEARS:	85	1381	5409	1.56	2.23	17.6	1.56	5.43	119
ALL	85	1381	5409	1.56	2.23	17.6	1.56	5.43	119
PAY	57	1366	5896	1.59	2.35	16.2	1.52	5.18	138
FREE OR REDUCED PRICE	28	1413	4394	1.49	1.97	20.4	1.64	5.94	80
NOT REPORTED	0	*	*	*	*	*	*	*	*

Table 6.-- MEAN NUTRITIVE VALUE OF DAY'S INTAKE RELATED TO RDA (1980) ADJUSTED FOR NSLP

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF ADJUSTED RDA (1980) FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
NSLP PARTICIPANT DAYS:	208	83.8	200.5	104.6	94.7	87.0	134.8	147.3	117.0	157.6	111.1	86.9	171.8	190.1
MALE AND FEMALE 6-8 YEARS:	70	83.5	239.2	118.8	115.4	97.2	153.4	177.7	104.6	159.3	113.5	91.6	179.2	140.8
ALL LEVELS	61	82.5	241.4	116.7	110.4	93.5	153.3	165.9	102.1	156.6	111.4	89.3	180.7	137.1
0-100	12	83.9	303.8	116.3	116.8	96.6	173.2	37.9	112.6	166.2	146.5	122.4	149.3	93.8
101-125	1	82.5	218.9	120.6	114.5	99.1	161.1	120.6	103.6	169.2	118.2	94.7	184.1	183.3
126-195	12	83.1	230.3	111.0	122.7	93.7	149.4	240.5	113.3	158.7	110.8	89.2	223.4	183.5
196 AND OVER	36	81.9	226.1	118.5	104.0	92.3	147.9	167.7	94.9	152.3	100.1	78.5	176.3	133.6
INCOME NOT REPORTED	8	90.2	223.8	134.5	151.8	123.5	154.5	262.8	123.2	179.0	128.5	108.4	168.2	167.7
MALE AND FEMALE 9-11 YEARS	54	82.2	203.2	109.7	101.8	91.8	141.7	150.6	112.7	152.5	109.6	88.8	148.0	212.7
ALL LEVELS	45	81.5	202.4	107.6	100.9	91.2	141.0	150.4	109.9	147.7	106.6	84.0	145.7	209.4
0-100	5	73.3	206.5	91.4	97.5	90.1	137.5	124.4	119.5	133.8	110.7	77.6	120.8	171.1
101-125	7	72.6	175.0	83.2	91.3	89.2	117.9	199.5	98.8	128.4	113.4	89.9	146.9	281.9
126-195	7	78.5	199.2	105.1	92.3	78.4	144.3	143.9	120.2	145.9	91.0	74.7	159.3	167.9
196 AND OVER	26	86.2	210.4	118.1	106.5	95.3	147.4	142.7	108.7	156.1	107.9	85.8	146.4	206.3
INCOME NOT REPORTED	9	86.3	207.0	120.9	106.1	94.7	145.1	152.0	127.3	177.4	125.2	113.6	159.4	229.4
MALE 12-18 YEARS:	39	100.4	188.6	107.0	90.6	88.6	132.2	135.3	159.0	199.9	142.0	106.2	201.2	236.1
ALL LEVELS	31	99.3	195.8	98.7	93.1	85.5	130.7	116.7	150.9	189.0	152.4	106.4	198.0	195.9
0-100	11	112.2	235.7	94.3	98.6	101.4	144.2	137.9	153.3	177.8	179.4	114.7	185.0	136.1
101-125	1	64.8	113.3	55.2	58.9	55.0	72.7	42.6	96.7	119.3	113.7	62.6	127.3	212.7
126-195	5	86.2	172.5	93.0	82.3	76.1	120.8	123.6	122.6	163.0	131.6	85.4	194.6	98.9
196 AND OVER	15	96.3	179.1	106.1	94.6	78.7	127.1	124.4	161.7	209.8	141.9	109.7	212.3	272.4
INCOME NOT REPORTED	8	104.6	159.5	140.3	80.2	101.2	138.3	210.6	191.6	243.8	100.1	105.7	214.1	398.3
FEMALE 12-18 YEARS:	46	72.2	148.8	75.4	58.6	64.8	100.9	137.6	105.7	125.5	83.3	61.7	163.9	200.0
ALL LEVELS	33	68.2	147.4	68.2	58.7	61.1	96.8	95.0	96.5	113.7	85.7	62.7	169.6	167.2
0-100	10	70.1	171.9	66.6	63.4	68.1	105.5	96.8	117.4	111.7	101.5	77.2	252.2	195.6
101-125	0	*	*	*	*	*	*	*	*	*	*	*	*	*
126-195	6	59.3	149.2	44.1	59.0	45.5	83.9	27.4	70.0	96.3	87.2	58.9	164.1	113.1
196 AND OVER	17	70.0	131.9	77.3	55.8	62.1	95.9	117.0	92.9	120.8	75.6	55.2	121.2	168.3
INCOME NOT REPORTED	13	82.0	152.3	93.0	58.3	73.9	110.9	138.4	128.2	154.6	77.4	59.2	149.9	280.3

Table 6.-- MEAN NUTRITIVE VALUE OF DAY'S INTAKE RELATED TO RDA (1980) ADJUSTED FOR NSLP

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF ADJUSTED RDA (1980)												
		FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
NSLP NONPARTICIPANT DAYS:	870	81.6	175.4	89.3	85.1	83.0	119.1	131.9	115.8	146.2	115.0	80.5	173.3	196.9
MALE AND FEMALE 6-8 YEARS:	225	75.3	186.7	99.2	105.8	93.0	129.6	147.9	111.0	143.5	110.2	85.0	147.0	203.3
ALL LEVELS	197	76.0	189.4	98.6	107.2	92.8	129.6	150.3	112.5	145.0	112.7	86.3	151.3	207.4
0-100	20	68.2	176.4	87.7	88.6	72.1	112.3	133.4	110.1	130.3	98.7	71.2	102.4	156.0
101-125	15	70.1	170.8	89.4	100.6	91.2	117.6	120.6	120.8	149.0	124.9	89.4	105.2	250.2
126-195	47	71.7	170.8	93.0	98.7	86.9	119.9	126.8	107.1	132.5	100.5	78.9	134.2	198.3
196 AND OVER	114	80.0	201.9	104.2	115.0	99.2	138.3	166.9	114.1	152.3	118.6	91.6	173.1	214.6
INCOME NOT REPORTED	28	70.3	167.4	102.7	95.5	94.4	129.8	131.6	100.2	132.5	93.1	76.4	117.1	175.0
MALE AND FEMALE 9-11 YEARS	198	77.6	181.4	93.0	89.9	84.0	122.7	146.0	111.5	138.6	107.5	78.4	180.8	205.8
ALL LEVELS	179	76.7	181.6	92.1	89.8	84.1	122.0	148.1	111.8	138.5	108.3	79.0	185.3	211.2
0-100	7	73.8	213.8	73.3	99.2	72.8	118.7	139.2	106.6	120.1	109.8	76.6	129.3	111.2
101-125	12	92.3	213.0	72.2	110.8	100.7	123.4	152.2	159.2	138.0	146.9	103.6	156.7	248.4
126-195	24	83.4	191.0	92.9	89.3	84.4	124.4	118.9	106.5	127.4	115.2	79.7	126.5	236.4
196 AND OVER	136	74.3	175.4	94.7	87.5	83.1	121.6	154.9	108.7	141.5	103.5	76.8	201.3	208.4
INCOME NOT REPORTED	19	86.1	179.1	101.8	90.9	83.7	129.2	126.4	109.5	139.1	100.2	71.8	138.0	154.3
MALE 12-18 YEARS:	234	103.2	198.6	97.8	87.3	91.1	134.1	144.0	143.2	185.1	146.5	93.6	242.8	196.6
ALL LEVELS	183	103.7	196.3	96.3	86.5	91.8	132.6	152.9	147.1	185.6	148.9	91.7	237.1	196.1
0-100	13	115.5	228.1	106.1	107.8	119.6	146.4	222.1	148.7	191.6	183.2	104.7	197.7	212.3
101-125	10	127.1	205.2	106.1	105.5	107.9	140.6	177.1	266.0	271.9	206.5	122.4	194.2	214.0
126-195	15	130.8	224.7	137.0	94.1	115.0	166.5	133.5	195.5	236.8	142.2	86.1	212.9	253.6
196 AND OVER	145	98.2	189.9	90.5	82.5	85.8	127.3	147.2	133.5	173.6	142.5	89.0	246.1	187.4
INCOME NOT REPORTED	51	101.2	207.1	103.2	90.2	88.5	139.6	111.8	129.1	183.5	137.9	100.2	263.3	198.2
FEMALE 12-18 YEARS:	213	68.5	132.5	66.1	56.2	62.5	88.3	98.4	94.8	113.6	92.4	63.2	117.9	182.3
ALL LEVELS	164	66.4	128.9	62.7	55.3	60.4	84.8	83.0	93.6	111.4	92.8	61.6	113.8	165.8
0-100	7	76.5	158.1	50.6	61.1	71.1	91.6	136.7	84.5	94.0	98.2	61.5	80.4	157.9
101-125	2	75.3	110.9	38.4	67.2	46.0	70.4	93.8	146.1	125.5	101.0	89.5	166.0	271.5
126-195	30	63.0	116.0	61.5	52.3	59.6	81.1	59.0	85.3	106.3	84.6	54.7	102.8	94.2
196 AND OVER	125	66.5	130.5	64.2	55.4	60.1	85.5	85.3	95.3	113.4	94.3	62.9	117.7	181.6
INCOME NOT REPORTED	49	75.5	144.6	77.5	59.4	69.5	99.8	136.4	98.9	120.8	91.2	68.4	131.5	237.1

NSLP SAMPLE: ALASKA

Table 7.-- PERCENT OF DAY'S INTAKES THAT PROVIDE 100 PERCENT OR MORE OF STUDENT'S RDA (1980)

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
ALL DAYS:	1078	22.1	87.6	39.0	31.2	28.8	65.1	44.2	49.2	73.0	53.0	26.7	68.9	62.2
MALE AND FEMALE 6-8 YEARS:	295	17.4	91.4	48.6	53.6	40.4	72.8	55.2	50.8	79.5	57.3	33.2	66.7	58.3
ALL LEVELS	259	17.8	92.2	47.4	52.3	38.7	73.3	54.2	50.6	80.6	58.2	33.3	67.2	57.9
0-100	32	17.5	78.2	39.5	33.6	32.6	61.5	37.6	42.5	71.3	52.5	33.2	53.6	48.7
101-125	17	13.6	88.8	37.6	63.6	48.9	67.2	54.1	53.9	93.3	66.1	43.3	60.6	60.9
126-195	60	18.4	92.0	44.0	48.0	30.5	64.6	57.5	56.9	75.2	55.8	25.7	69.9	58.1
196 AND OVER	151	18.2	95.6	51.4	56.8	42.1	79.9	56.5	49.4	83.4	59.4	35.2	69.7	59.4
INCOME NOT REPORTED	37	14.2	86.3	57.1	62.8	52.3	69.8	61.9	52.2	71.7	51.4	32.4	63.1	61.5
MALE AND FEMALE 9-11 YEARS	251	16.7	90.6	45.4	35.1	30.5	71.3	47.5	49.2	73.0	49.5	28.3	65.9	64.4
ALL LEVELS	224	15.6	90.8	43.3	35.4	30.1	71.0	47.4	47.0	71.8	49.7	27.5	66.2	64.6
0-100	12	14.5	85.5	38.2	35.6	44.1	65.1	31.5	47.6	70.7	49.8	18.5	59.0	35.2
101-125	20	28.4	100.0	16.8	58.7	30.5	80.9	77.6	66.6	82.4	77.6	50.4	92.1	85.0
126-195	31	24.7	80.6	41.7	31.9	26.9	71.6	50.1	54.6	71.5	54.7	23.4	66.8	69.5
196 AND OVER	162	12.4	92.0	47.2	33.2	29.7	70.1	44.3	43.2	70.6	45.3	26.1	63.4	63.3
INCOME NOT REPORTED	27	25.4	89.2	62.8	33.2	33.4	73.9	48.0	66.6	83.4	48.0	35.2	63.4	62.8
MALE 12-18 YEARS:	272	32.2	93.8	43.5	28.5	25.4	72.5	38.9	57.1	77.5	61.7	33.3	82.9	68.7
ALL LEVELS	214	33.2	93.1	38.1	28.9	24.0	70.5	37.7	57.7	76.5	65.0	33.0	79.6	66.1
0-100	23	53.8	100.0	45.9	40.0	29.5	90.2	49.5	72.7	93.3	86.0	42.2	90.9	79.1
101-125	11	51.2	81.0	41.0	51.2	51.2	61.5	70.2	80.4	93.3	87.2	53.2	81.0	100.0
126-195	20	48.0	96.5	57.8	33.7	34.7	87.4	39.8	76.0	96.5	69.3	26.6	85.3	61.7
196 AND OVER	160	27.1	92.5	34.2	25.2	20.0	66.1	33.5	51.6	70.4	59.9	31.1	77.2	62.4
INCOME NOT REPORTED	58	28.4	96.4	63.4	27.0	30.6	79.8	43.4	54.8	81.0	49.5	34.5	94.9	78.3
FEMALE 12-18 YEARS:	259	22.1	73.6	17.4	4.5	17.5	42.7	33.9	39.0	60.9	42.5	11.0	59.8	57.5
ALL LEVELS	197	20.1	71.2	15.1	5.3	17.0	37.6	27.9	34.3	57.2	43.8	12.0	56.4	54.6
0-100	18	21.9	78.8	12.9	12.9	30.0	57.4	36.2	36.2	65.7	53.4	21.7	57.4	55.5
101-125	2	0.0	66.7	0.0	0.0	0.0	0.0	66.7	66.7	100.0	66.7	66.7	100.0	100.0
126-195	35	15.1	70.6	8.7	2.3	13.0	28.8	8.7	22.6	48.5	36.9	8.4	52.5	33.0
196 AND OVER	142	21.4	70.5	17.1	5.2	16.6	37.8	31.1	36.6	57.6	44.0	10.9	56.6	59.3
INCOME NOT REPORTED	63	28.6	81.0	24.7	1.8	19.0	58.7	52.8	53.7	72.8	38.5	7.8	70.5	66.7

Table 7.-- PERCENT OF DAY'S INTAKES THAT PROVIDE 100 PERCENT OR MORE OF STUDENT'S RDA (1980)

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
NSLP PARTICIPANT DAYS:	208	25.6	93.6	48.7	35.2	27.6	80.5	56.2	48.5	83.7	53.8	28.1	83.5	60.6
MALE AND FEMALE 6-8 YEARS:	70	25.6	96.1	65.4	57.8	40.3	94.0	58.2	44.4	90.5	57.8	34.0	84.9	48.7
ALL LEVELS	61	22.6	97.5	63.7	53.8	38.1	95.1	55.5	38.5	91.1	53.8	31.1	84.6	47.6
0-100	12	42.0	86.5	47.6	48.3	46.1	80.2	32.6	48.3	93.6	61.1	54.7	86.5	26.2
101-125	1	0.0	100.0	100.0	100.0	50.0	100.0	50.0	50.0	100.0	50.0	50.0	100.0	50.0
126-195	12	33.6	100.0	66.7	66.8	42.9	94.1	61.1	57.6	88.2	70.2	21.5	88.2	69.9
196 AND OVER	36	13.5	100.0	66.4	49.3	33.4	100.0	61.2	28.6	90.9	46.2	26.1	82.2	46.8
INCOME NOT REPORTED	8	47.8	86.5	77.5	86.5	56.8	86.5	77.5	86.5	86.5	86.5	55.1	86.5	56.8
MALE AND FEMALE 9-11 YEARS	54	23.4	96.3	54.2	39.1	29.9	85.9	65.8	53.3	83.1	54.0	31.1	79.9	71.2
ALL LEVELS	45	23.2	95.6	47.9	37.1	28.4	83.1	63.9	44.2	79.8	47.6	24.7	81.1	70.0
0-100	5	20.5	78.7	42.6	57.4	57.4	78.7	41.8	57.4	63.1	57.4	15.7	78.7	57.4
101-125	7	9.9	100.0	9.9	35.2	25.3	90.1	80.2	35.2	100.0	60.4	35.2	100.0	90.1
126-195	7	21.6	100.0	67.3	39.1	17.2	89.2	67.1	78.4	67.1	50.1	10.8	66.8	78.4
196 AND OVER	26	27.9	96.3	54.8	33.5	26.9	80.4	62.5	35.6	80.3	41.4	26.9	79.8	64.4
INCOME NOT REPORTED	9	24.6	100.0	86.9	49.2	37.7	100.0	75.4	100.0	100.0	86.9	63.9	73.8	77.1
MALE 12-18 YEARS:	39	33.3	98.1	48.6	25.0	21.0	81.6	53.4	59.3	86.2	62.2	38.0	95.1	70.9
ALL LEVELS	31	31.0	97.7	39.6	24.4	11.9	80.8	41.8	52.9	82.7	70.8	33.2	93.9	63.7
0-100	11	51.5	100.0	22.0	36.7	7.2	100.0	39.0	81.0	85.2	90.5	51.5	100.0	83.3
101-125	1	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	0.0	100.0	100.0
126-195	5	14.2	85.8	43.1	28.5	14.2	71.5	43.1	43.1	85.8	71.5	28.8	85.8	28.8
196 AND OVER	15	23.4	100.0	53.1	15.2	15.2	74.1	45.5	38.6	79.0	54.8	23.1	92.0	59.7
INCOME NOT REPORTED	8	42.5	100.0	85.0	27.5	57.5	85.0	100.0	85.0	100.0	27.5	57.5	100.0	100.0
FEMALE 12-18 YEARS:	46	21.9	82.7	17.0	5.0	11.2	53.1	44.7	40.0	71.8	40.8	7.4	76.1	57.7
ALL LEVELS	33	16.3	82.0	11.2	7.0	9.3	49.7	34.9	32.4	70.2	48.1	10.5	72.8	50.9
0-100	10	15.2	84.8	15.2	22.3	22.3	62.5	37.5	37.5	69.6	62.5	22.3	77.7	59.9
101-125	0	*	*	*	*	*	*	*	*	*	*	*	*	*
126-195	6	20.0	80.0	0.0	0.0	0.0	20.0	0.0	20.0	40.0	40.0	20.0	80.0	40.0
196 AND OVER	17	15.7	80.9	12.5	0.0	4.5	51.9	45.1	33.5	80.7	42.1	0.0	67.4	49.2
INCOME NOT REPORTED	13	35.8	84.3	31.4	0.0	15.7	61.4	68.6	58.7	75.8	22.9	0.0	84.3	74.4

Table 7.-- PERCENT OF DAY'S INTAKES THAT PROVIDE 100 PERCENT OR MORE OF STUDENT'S RDA (1980)

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	FOOD ENERGY (3)	PRO-TEIN (4)	CAL-CIUM (5)	IRON (6)	MAG-NE-SIUM (7)	PHOS-PHO-RUS (8)	VITA-MIN A VALUE (9)	THIA-MIN (10)	RIBO-FLA-VIN (11)	NIA-CIN (12)	VITA-MIN B6 (13)	VITA-MIN B12 (14)	ASC-ORBIC ACID (15)
NSLP NONPARTICIPANT DAYS:	870	21.3	86.1	36.7	30.2	29.1	61.4	41.3	49.3	70.5	52.8	26.4	65.4	62.5
MALE AND FEMALE 6-8 YEARS:	225	14.8	90.0	43.3	52.4	40.4	66.3	54.3	52.8	76.1	57.2	32.9	61.0	61.3
ALL LEVELS	197	16.4	90.5	42.3	51.9	38.9	66.5	53.9	54.3	77.4	59.5	34.0	61.7	61.1
0-100	20	3.5	73.5	34.9	25.2	24.9	50.9	40.4	39.2	58.6	47.7	21.0	34.9	61.6
101-125	15	14.9	87.7	31.5	60.1	48.8	64.0	54.5	54.3	92.7	67.7	42.7	56.7	61.9
126-195	47	14.5	89.9	38.2	43.2	27.3	57.0	56.6	56.7	71.9	52.1	26.8	65.3	55.0
196 AND OVER	114	19.6	94.2	46.7	59.1	44.8	73.5	55.0	56.0	81.0	63.6	38.1	65.7	63.4
INCOME NOT REPORTED	28	4.1	86.3	51.0	55.7	51.0	64.8	57.2	41.9	67.2	40.8	25.6	56.0	62.9
MALE AND FEMALE 9-11 YEARS	198	14.9	89.1	43.0	34.1	30.6	67.3	42.5	48.1	70.3	48.3	27.6	62.1	62.5
ALL LEVELS	179	13.7	89.6	42.1	34.9	30.5	67.9	43.3	47.8	69.8	50.2	28.2	62.4	63.2
0-100	7	10.5	90.1	35.2	20.8	35.2	56.0	24.6	41.0	75.8	44.7	20.4	45.7	20.2
101-125	12	39.6	100.0	21.1	72.9	33.7	75.3	75.9	85.6	71.7	87.9	59.6	87.4	81.9
126-195	24	25.6	75.3	34.7	30.0	29.6	66.8	45.5	48.0	72.7	55.9	26.8	66.8	67.0
196 AND OVER	136	9.4	91.2	45.7	33.1	30.2	68.1	40.8	44.6	68.8	46.0	26.0	60.2	63.0
INCOME NOT REPORTED	19	25.7	84.2	51.5	25.6	31.4	61.6	35.1	50.8	75.6	29.7	21.7	58.6	56.0
MALE 12-18 YEARS:	234	32.0	93.1	42.7	29.1	26.2	71.0	36.6	56.7	76.0	61.6	32.5	80.9	68.3
ALL LEVELS	183	33.6	92.4	37.8	29.7	26.0	68.8	37.1	58.5	75.5	64.0	33.0	77.2	66.5
0-100	13	55.6	100.0	65.7	42.8	48.1	82.0	58.2	65.7	100.0	82.3	34.6	83.4	75.6
101-125	10	54.9	79.7	43.9	54.9	54.9	65.9	75.2	86.2	92.8	86.2	57.0	79.7	100.0
126-195	15	59.2	100.0	62.6	35.5	41.4	92.6	38.7	86.9	100.0	68.6	25.8	85.1	72.6
196 AND OVER	145	27.5	91.8	32.4	26.2	20.5	65.3	32.3	52.9	69.5	60.4	31.9	75.7	62.7
INCOME NOT REPORTED	51	26.2	95.8	60.2	26.9	26.6	79.0	34.8	50.3	78.1	52.8	31.0	94.1	75.0
FEMALE 12-18 YEARS:	213	22.2	71.6	17.5	4.4	18.8	40.4	31.6	38.8	58.6	42.9	11.7	56.3	57.5
ALL LEVELS	164	20.8	69.1	15.8	5.0	18.5	35.1	26.5	34.7	54.6	42.9	12.3	53.1	55.3
0-100	7	31.0	70.5	9.9	0.0	40.6	50.5	34.5	34.5	60.3	40.9	20.9	29.6	49.5
101-125	2	0.0	66.7	0.0	0.0	0.0	0.0	66.7	66.7	100.0	66.7	66.7	100.0	100.0
126-195	30	14.1	68.8	10.4	2.8	15.5	30.5	10.4	23.1	50.1	36.3	6.2	47.3	31.6
196 AND OVER	125	22.2	69.1	17.8	5.9	18.2	35.9	29.2	37.0	54.5	44.2	12.4	55.2	60.6
INCOME NOT REPORTED	49	26.7	80.1	22.8	2.3	19.9	58.0	48.5	52.4	72.0	42.7	9.9	66.7	64.6

Table 8A.-- NUTRITIONAL CONTRIBUTION OF LUNCH TO DAY'S INTAKE

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF DAY'S INTAKE: FOOD ENERGY (3)	PROTEIN (4)	FAT (5)	CARBOHYDRATE (6)	CALCIUM (7)	IRON (8)	MAGNESIUM (9)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
ALL DAYS:	1078	31.2	29.3	33.3	31.2	31.7	27.3	30.6	29.8	22.8	28.9	26.9	28.8	24.2	25.7	22.5
MALE AND FEMALE 6-8 YEARS:	295	35.5	33.0	37.9	35.6	34.3	29.8	34.2	32.6	24.9	30.8	28.7	31.7	25.7	27.0	25.5
ALL LEVELS	259	36.0	33.2	38.4	36.2	34.3	30.4	34.8	32.8	24.9	31.1	28.7	32.0	26.0	27.5	25.3
0-100	32	36.7	33.5	40.0	36.3	34.9	31.9	35.4	33.8	20.1	30.8	30.5	30.9	23.9	32.8	26.8
101-125	17	31.6	28.9	32.4	31.6	23.9	26.6	29.1	25.2	14.4	22.3	20.5	28.1	17.8	25.9	14.2
126-195	60	35.2	34.6	38.6	33.9	36.1	28.5	33.9	34.4	22.1	29.2	28.7	32.2	27.3	28.7	20.5
196 AND OVER	151	36.6	33.1	38.6	37.7	34.6	31.2	35.7	32.9	28.1	33.0	29.3	32.7	26.9	26.1	28.1
INCOME NOT REPORTED	37	32.2	31.4	34.5	31.2	34.2	25.7	30.1	31.3	25.2	28.6	28.3	29.3	23.0	23.5	26.6
MALE AND FEMALE 9-11 YEARS	251	32.1	29.9	33.5	32.7	34.7	27.7	32.6	31.1	26.1	29.8	28.5	28.5	25.2	26.7	23.9
ALL LEVELS	224	32.2	30.0	33.7	32.8	34.9	27.7	32.6	31.3	26.0	30.1	28.7	28.6	25.5	26.7	23.7
0-100	12	23.1	22.6	22.5	24.1	25.3	21.6	22.2	21.6	22.6	20.9	23.6	19.6	17.3	25.9	13.9
101-125	20	37.9	33.9	40.8	36.7	43.0	31.4	29.9	36.2	28.8	31.4	32.5	24.8	24.0	33.1	21.1
126-195	31	34.1	30.0	33.6	35.6	34.1	28.6	30.8	31.4	28.4	31.1	30.0	30.6	24.4	24.7	24.3
196 AND OVER	162	31.8	30.0	33.6	32.4	34.7	27.5	34.0	31.4	25.4	30.4	28.3	29.4	26.6	26.4	24.6
INCOME NOT REPORTED	27	31.6	29.5	32.4	32.0	33.3	27.0	32.5	30.1	27.5	28.0	27.5	26.9	22.8	26.4	25.6
MALE 12-18 YEARS:	272	29.3	27.6	32.3	28.2	28.8	25.4	28.4	27.9	18.7	27.5	24.7	27.6	22.4	24.3	20.5
ALL LEVELS	214	29.4	27.2	32.4	28.5	28.9	25.2	28.7	27.7	17.3	27.1	24.9	27.4	22.1	24.4	19.8
0-100	23	29.7	28.7	33.7	27.7	32.3	25.5	35.9	31.7	16.1	23.9	26.0	30.4	23.1	31.7	22.3
101-125	11	29.2	26.2	35.5	27.3	31.8	21.8	21.4	29.4	13.5	21.6	19.0	14.8	14.1	21.9	29.4
126-195	20	27.9	29.4	30.5	27.1	29.6	27.5	27.9	30.0	25.5	32.3	27.8	28.6	23.8	26.2	16.2
196 AND OVER	160	29.5	26.8	32.2	28.9	28.2	25.1	28.2	26.7	16.6	27.3	24.7	27.6	22.3	23.3	19.2
INCOME NOT REPORTED	58	29.0	28.7	31.9	26.9	28.3	26.3	27.3	28.6	23.8	28.7	24.2	28.5	23.3	24.0	23.1
FEMALE 12-18 YEARS:	259	27.4	26.3	29.0	27.9	29.1	26.1	26.7	27.1	21.7	27.3	25.7	27.0	23.3	24.8	19.8
ALL LEVELS	197	26.9	24.7	28.3	27.7	29.1	24.6	25.6	26.1	20.4	25.5	24.7	24.1	21.3	23.4	20.1
0-100	18	27.6	23.3	30.0	29.0	43.2	26.5	30.5	31.6	25.0	24.1	33.8	20.7	19.8	29.1	10.8
101-125	2	37.8	29.7	46.9	33.9	31.7	24.4	21.2	27.3	10.5	24.7	16.8	21.3	9.2	7.3	9.3
126-195	35	30.1	25.3	30.1	33.1	27.9	27.0	25.6	25.6	18.6	29.7	25.3	26.5	22.8	23.0	28.3
196 AND OVER	142	25.9	24.7	27.3	26.1	27.6	23.7	25.0	25.5	20.4	24.6	23.6	24.0	21.4	23.1	19.3
INCOME NOT REPORTED	63	28.8	31.4	31.2	28.5	29.1	30.9	30.2	30.1	25.5	33.2	28.6	36.2	29.6	29.1	18.8

Table 8A. NUTRITIONAL CONTRIBUTION OF LUNCH TO DAY'S INTAKE

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF DAY'S INTAKE: FOOD ENERGY (3)	PRO-TEIN (4)	FAT (5)	CAR-BOHY-DRATE (6)	CAL-CIUM (7)	IRON (8)	MAG-NE-SIUM (9)	PHOS-PHO-RUS (10)	VITA-MIN A VALUE (11)	THIA-MIN (12)	RIBO-FLA-VIN (13)	NIA-CIN (14)	VITA-MIN B6 (15)	VITA-MIN B12 (16)	ASC-ORBIC ACID (17)
NSLP PARTICIPANT DAYS:	208	36.5	38.3	39.7	35.1	45.6	33.6	37.5	40.0	39.3	37.1	39.8	33.6	32.5	39.3	26.2
MALE AND FEMALE 6-8 YEARS:	70	38.4	39.0	39.7	38.3	46.1	34.3	38.0	40.1	42.1	37.0	39.4	32.7	33.0	38.4	29.2
ALL LEVELS	61	38.8	38.7	40.4	39.1	45.9	35.9	38.8	39.9	43.1	37.8	39.7	34.0	33.9	38.5	30.8
0-100	12	38.2	40.3	43.5	35.1	48.3	33.6	42.4	40.9	32.4	35.3	38.5	31.6	28.5	43.1	25.2
101-125	1	38.2	37.4	36.5	41.8	41.1	35.1	38.1	39.7	44.2	35.8	34.9	29.2	33.4	32.8	19.3
126-195	12	36.0	36.9	37.6	35.3	44.9	29.1	37.8	37.3	32.1	32.9	36.9	35.4	34.2	32.6	27.4
196 AND OVER	36	39.9	38.9	40.5	41.6	45.7	38.9	38.0	40.5	50.1	40.3	41.2	34.5	35.6	39.2	34.1
INCOME NOT REPORTED	8	35.2	40.6	34.8	32.7	47.0	23.2	32.7	41.8	35.1	31.2	37.6	23.4	26.4	37.5	18.2
MALE AND FEMALE 9-11 YEARS	54	37.3	39.0	40.9	35.1	47.9	31.6	37.4	40.6	41.5	36.5	39.6	31.1	29.8	37.5	23.3
ALL LEVELS	45	37.1	38.3	40.3	35.6	48.2	32.2	37.5	40.3	42.3	38.2	40.8	32.0	30.9	37.5	24.7
0-100	5	34.1	34.9	37.1	32.4	48.7	29.8	35.5	35.0	40.5	37.4	39.5	25.5	24.1	37.4	15.1
101-125	7	41.9	40.3	46.1	38.5	56.7	31.7	39.4	45.5	35.8	37.2	39.2	26.4	28.0	35.2	18.4
126-195	7	36.1	35.3	37.2	37.8	43.7	33.1	37.7	35.4	49.2	45.0	42.6	35.5	28.5	33.1	34.5
196 AND OVER	26	36.5	39.2	40.0	34.7	46.8	32.6	37.3	41.1	42.8	36.8	41.1	33.9	33.6	39.4	25.7
INCOME NOT REPORTED	9	38.2	42.4	43.8	32.9	46.9	28.4	37.1	42.0	37.2	28.0	33.6	26.6	23.9	37.6	15.9
MALE 12-18 YEARS:	39	30.9	33.5	36.3	27.4	39.7	29.0	34.6	36.7	32.1	32.7	34.5	27.5	27.3	38.1	20.2
ALL LEVELS	31	31.8	33.4	36.3	29.2	41.2	31.2	37.3	37.1	33.1	32.4	34.9	28.7	29.6	40.0	24.2
0-100	11	23.6	28.2	27.2	20.2	35.3	26.4	32.0	32.1	22.7	19.5	27.5	23.6	21.6	44.7	15.0
101-125	1	40.6	39.9	40.5	40.4	25.6	41.5	33.2	30.7	19.4	42.2	37.7	36.3	22.7	23.3	7.7
126-195	5	41.5	42.5	48.2	38.9	50.0	41.3	45.7	47.5	45.6	46.5	42.5	34.0	36.4	44.3	32.4
196 AND OVER	15	34.0	33.8	38.5	31.8	43.3	30.7	38.4	37.4	37.1	36.3	37.6	30.3	33.3	36.0	28.9
INCOME NOT REPORTED	8	27.1	33.6	36.2	20.4	33.4	19.8	23.5	34.9	27.9	34.2	32.5	22.6	18.2	30.6	3.7
FEMALE 12-18 YEARS:	46	37.6	40.6	41.0	36.5	47.2	38.7	39.2	41.8	38.5	41.7	45.2	42.9	39.2	43.7	29.9
ALL LEVELS	33	35.5	36.3	37.6	35.8	47.8	35.4	37.2	39.1	38.5	37.1	43.2	36.8	33.3	39.6	32.0
0-100	10	31.3	32.9	36.1	28.9	55.9	32.8	37.8	40.9	23.4	30.5	44.4	27.8	25.3	43.5	13.4
101-125	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
126-195	6	39.9	34.7	36.4	48.3	37.3	41.2	40.8	32.0	35.7	47.3	37.4	50.3	41.3	28.0	74.3
196 AND OVER	17	36.5	39.0	39.0	35.9	46.3	35.0	35.6	40.4	48.5	37.7	44.5	37.6	35.4	41.2	29.0
INCOME NOT REPORTED	13	42.6	51.1	49.2	38.1	45.7	46.9	44.1	48.5	38.5	52.9	50.2	57.9	53.7	53.8	24.5

Table 8A.-- NUTRITIONAL CONTRIBUTION OF LUNCH TO DAY'S INTAKE

NSLP PARTICIPATION, SEX AND AGE OF STUDENT, HOUSEHOLD INCOME AS PERCENT OF POVERTY LEVEL (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF DAY'S INTAKE: FOOD ENERGY (3)	PROTEIN (4)	FAT (5)	CARBOHYDRATE (6)	CALCIUM (7)	IRON (8)	MAGNESIUM (9)	PHOSPHORUS (10)	VITAMIN A VALUE (11)	THIAMIN (12)	RIBOFLAVIN (13)	NIACIN (14)	VITAMIN B6 (15)	VITAMIN B12 (16)	ASCORBIC ACID (17)
NSLP NONPARTICIPANT DAYS:	870	29.9	27.1	31.8	30.3	28.4	25.8	28.9	27.3	18.9	26.9	23.8	27.6	22.2	22.5	21.6
MALE AND FEMALE 6-8 YEARS:	225	34.6	31.1	37.3	34.8	30.6	28.4	33.1	30.3	19.6	28.9	25.3	31.4	23.4	23.5	24.3
ALL LEVELS	197	35.1	31.5	37.7	35.3	30.7	28.7	33.6	30.6	19.2	29.1	25.3	31.4	23.6	24.1	23.6
0-100	20	35.8	29.6	38.0	37.0	27.2	30.9	31.3	29.7	13.2	28.3	26.0	30.5	21.3	26.9	27.8
101-125	15	30.9	28.0	32.0	30.7	22.2	25.8	28.3	23.7	11.5	21.0	19.1	27.9	16.3	25.2	13.7
126-195	47	35.0	34.0	38.9	33.5	33.8	28.3	32.9	33.6	19.5	28.2	26.6	31.4	25.5	27.7	18.7
196 AND OVER	114	35.6	31.3	38.0	36.4	31.1	28.8	35.0	30.5	21.2	30.6	25.5	32.1	24.1	22.0	26.2
INCOME NOT REPORTED	28	31.2	28.6	34.4	30.7	30.3	26.5	29.3	28.1	22.3	27.8	25.5	31.1	22.0	19.3	29.1
MALE AND FEMALE 9-11 YEARS	198	30.7	27.5	31.5	32.1	31.1	26.6	31.3	28.6	22.0	28.0	25.5	27.7	24.0	23.7	24.1
ALL LEVELS	179	30.9	27.9	32.0	32.1	31.5	26.6	31.4	29.0	21.9	28.0	25.6	27.8	24.2	24.0	23.4
0-100	7	15.7	14.4	12.7	18.4	9.6	16.1	13.3	12.5	10.6	9.8	12.9	15.6	12.8	18.2	13.1
101-125	12	35.5	30.0	37.7	35.6	34.7	31.3	24.2	30.6	24.5	27.8	28.5	23.8	21.5	31.8	22.7
126-195	24	33.6	28.6	32.6	35.0	31.5	27.4	28.9	30.3	22.7	27.3	26.6	29.2	23.2	22.4	21.6
196 AND OVER	136	30.8	28.2	32.4	32.0	32.4	26.6	33.4	29.5	22.1	29.1	25.9	28.6	25.2	23.9	24.4
INCOME NOT REPORTED	19	28.6	23.5	27.1	31.5	26.9	26.3	30.3	24.4	22.8	28.0	24.6	27.0	22.2	21.2	30.2
MALE 12-18 YEARS:	234	29.0	26.6	31.6	28.3	27.0	24.9	27.4	26.5	16.5	26.6	23.1	27.6	21.5	22.0	20.6
ALL LEVELS	183	28.9	26.2	31.7	28.4	26.9	24.2	27.2	26.2	14.6	26.2	23.2	27.1	20.8	21.8	19.0
0-100	13	34.7	29.1	39.0	33.8	29.7	24.8	39.1	31.4	10.7	27.6	24.8	36.1	24.2	21.0	28.4
101-125	10	28.3	25.2	35.2	26.3	32.2	20.3	20.6	29.3	13.1	20.1	17.7	13.3	13.5	21.8	31.0
126-195	15	23.5	25.1	24.7	23.1	22.8	22.9	22.0	24.2	18.9	27.6	22.9	26.9	19.6	20.3	10.8
196 AND OVER	145	29.0	26.1	31.5	28.6	26.7	24.5	27.2	25.7	14.6	26.4	23.4	27.3	21.2	22.0	18.3
INCOME NOT REPORTED	51	29.3	28.0	31.3	27.9	27.5	27.2	27.9	27.7	23.2	27.9	22.9	29.4	24.0	23.0	26.0
FEMALE 12-18 YEARS:	213	25.2	23.3	26.4	26.0	25.2	23.4	24.0	23.9	18.0	24.2	21.4	23.6	19.9	20.7	17.6
ALL LEVELS	164	25.2	22.4	26.4	26.1	25.4	22.4	23.2	23.5	16.8	23.1	21.0	21.6	18.9	20.2	17.7
0-100	7	22.3	10.0	21.7	29.2	25.6	17.9	20.3	18.8	27.1	15.3	19.1	11.0	12.1	9.3	7.4
101-125	2	37.8	29.7	46.9	33.9	31.7	24.4	21.2	27.3	10.5	24.7	16.8	21.3	9.2	7.3	9.3
126-195	30	28.2	23.5	28.9	30.2	26.1	24.2	22.7	24.4	15.3	26.4	22.9	21.8	19.2	22.0	19.4
196 AND OVER	125	24.4	22.8	25.8	24.8	25.1	22.2	23.6	23.5	16.6	22.8	20.8	22.1	19.5	20.6	18.0
INCOME NOT REPORTED	49	25.1	26.0	26.3	25.8	24.6	26.6	26.4	25.1	22.0	27.9	22.8	30.4	23.1	22.4	17.3

Table 8B.-- NUTRITIONAL CONTRIBUTION OF LUNCH TO DAY'S INTAKE

AGE OF STUDENT AND LUNCH PAY STATUS OF NSLP PARTICIPANTS (1)	TOTAL NUMBER OF DAYS (2)	PERCENT OF DAY'S INTAKE: FOOD ENERGY (3)	PRO-TEIN (4)	FAT (5)	CAR-BOHY-DRATE (6)	CAL-CIUM (7)	IRON (8)	MAG-NE-SIUM (9)	PHOS-PHO-RUS (10)	VITA-MIN A VALUE (11)	THIA-MIN (12)	RIBO-FLA-VIN (13)	NIA-CIN (14)	VITA-MIN B6 (15)	VITA-MIN B12 (16)	ASC-ORBIC ACID (17)
NSLP PARTICIPANT DAYS:	208	36.5	38.3	39.7	35.1	45.6	33.6	37.5	40.0	39.3	37.1	39.8	33.6	32.5	39.3	26.2
6-11 YEARS:	123	37.9	39.0	40.2	36.9	46.9	33.1	37.8	40.3	41.9	36.8	39.5	32.0	31.6	38.0	26.7
ALL	123	37.9	39.0	40.2	36.9	46.9	33.1	37.8	40.3	41.9	36.8	39.5	32.0	31.6	38.0	26.7
PAY	82	36.5	37.1	38.5	35.9	44.4	30.6	35.5	38.7	40.0	34.5	37.2	30.7	30.1	34.8	28.1
FREE OR REDUCED PRICE	41	40.6	42.7	43.6	39.0	51.9	38.2	42.2	43.7	45.5	41.3	44.1	34.7	34.7	44.4	23.9
NOT REPORTED	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12-18 YEARS:	85	34.5	37.4	38.8	32.4	43.8	34.3	37.1	39.5	35.6	37.6	40.3	35.9	33.8	41.2	25.5
ALL	85	34.5	37.4	38.8	32.4	43.8	34.3	37.1	39.5	35.6	37.6	40.3	35.9	33.8	41.2	25.5
PAY	57	35.8	39.2	40.8	33.5	42.4	34.7	37.0	40.0	37.7	40.7	41.4	38.8	37.0	40.1	27.1
FREE OR REDUCED PRICE	28	31.8	33.7	34.8	30.1	46.6	33.4	37.2	38.3	31.1	31.3	38.2	29.9	27.2	43.5	22.0
NOT REPORTED	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*